

November 7, 2001

Ms. Joan Kessner Bechtel Hanford Inc. 3350 George Washington Way Richland, WA 99352 MSIN: H9-03

Reference:

P.O. #630

Eberline Services R1-08-075-7053, SDG H1458

Dear Ms. Kessner:

Enclosed is the data report for one water sample designated under SAF No. B01-059 received at Eberline Services on August 15, 2001. The sample was analyzed according to the accompanying chain-of-custody document.

Please call if you have any questions concerning this report.

Sincerely,

Melissa C. Mannion

milita Mann

Program Manager

MCM

Enclosure: Data Package



EDMC



Analytical Services 2030 Wright Avenue P.O. Box 4040 Richmond, California 94804-0040 (510) 235-2633 Fax (510) 235-0438 Toll Free (800) 841-5487 www.eberlineservices.com

1.0 **GENERAL**

Bechtel Hanford Inc. (BHI) Sample Delivery Group H158 was composed of one water sample designated under SAF No. B01-059 with a Project Designation of: 200-TW-1&2-QC Sampling.

The sample was received as stated on the Chain-of-Custody document. Any discrepancies are noted on the Eberline Services Sample Receipt Checklist. The results were transmitted to BHI via e-Fax on November 1, 2001.

ANALYSIS NOTES 2.0

2.1 **Gross Alpha and Beta Analyses**

The samples (planchets) were reworked (reburned) in chemistry to burn off a build-up of salts that were inferring with counting. No other problems were encountered during the course of the analyses.

Case Narrative Certification Statement

"I certify that this data package is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed above. Release of the data obtained in this hard copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature."

Melissa C. Mannion

Mussa Marman

Program Manager

11/7/01

E B E R L I N E S E R V I C E S / R I C H M O N D SAMPLE DELIVERY GROUP H1458

SDG 7053 Contact <u>Melissa C. Mannion</u> Client <u>Hanford</u>
Contract <u>No. 630</u>
Case no <u>SDG H1458</u>

SUMMARY DATA SECTION

TABLE OF	CO	N T	E N	T S	
About this section	•	•	•	•	1
Sample Summaries			•	٠	3
Prep Batch Summary	•		•	ě	5
Work Summary			•	•	6
Method Blanks	•	٠	•	•	7
Lab Control Samples				•	8
Duplicates			•	•	9
Data Sheets	•		•	•	10
Method Summaries			•		11
Report Guides			•	•	13
End of Section	•		•		27

Meline M	amo	
Prepared by	•	
Melino	Manne	
Reviewed by		

SAMPLE DELIVERY GROUP H1458

SDG 7053
Contact Melissa C. Mannion

REPORT GUIDE

Client	Hanford	
Contract	No. 630	
Case no	SDG_H1458	

ABOUT THE DATA SUMMARY SECTION

The Data Summary Section of a Data Package has all data, in several useful orders, necessary for first level, routine review of the data package for a Sample Delivery Group (SDG). This section follows the Data Package Narrative, which has an overview of the data package and a discussion of special problems. It is followed by the Raw Data Section, which has full details.

The Data Summary Section has several groups of reports:

SAMPLE SUMMARIES

The Sample and QC Summary Reports show all samples, including QC samples, reported in one SDG. These reports cross-reference client and lab sample identifiers.

PREPARATION BATCH SUMMARY

The Preparation Batch Summary Report shows all preparation batches (lab groupings reflecting how work was organized) relevant to the reported SDG with information necessary to check the completeness and consistency of the SDG.

WORK SUMMARY

The Work Summary Report shows all samples and work done on them relevant to the reported SDG.

METHOD BLANKS

The Method Blank Reports, one for each Method Blank relevant to the SDG, show all results and primary supporting information for the blanks.

LAB CONTROL SAMPLES

The Lab Control Sample Reports, one for each Lab Control Sample relevant to the SDG, show all results, recoveries and primary supporting information for these QC samples.

REPORT GUIDES

Page 1

SUMMARY DATA SECTION

Page 1

Lab id TMANC
Protocol Hanford

Version Ver 1.0

Form <u>DVD-RG</u> Version <u>3.06</u>

Report date <u>11/01/01</u>

SAMPLE DELIVERY GROUP H1458

SDG 7053
Contact Melissa C. Mannion

GUIDE, cont.

Client <u>Hanford</u>
Contract <u>No. 630</u>
Case no <u>SDG H1458</u>

ABOUT THE DATA SUMMARY SECTION

DUPLICATES

The Duplicate Reports, one for each Duplicate and Original sample pair relevant to the SDG, show all results, differences and primary supporting information for these QC samples.

MATRIX SPIKES

The Matrix Spike Reports, one for each Spiked and Original sample pair relevant to the SDG, show all results, recoveries and primary supporting information for these QC samples.

DATA SHEETS

The Data Sheet Reports, one for each client sample in the SDG, show all results and primary supporting information for these samples.

METHOD SUMMARIES

The Method Summary Reports, one for each test used in the SDG, show all results, QC and method performance data for one analyte on one or two pages. (A test is a short code for the method used to do certain work to the client's specification.)

REPORT GUIDES

The Report Guides, one for each of the above groups of reports, have documentation on how to read the associated reports.

REPORT GUIDES

Page 2
SUMMARY DATA SECTION

Page 2

SAMPLE DELIVERY GROUP H1458

SDG 7053
Contact Melissa C. Mannion

SAMPLE SUMMARY

Client <u>Hanford</u>
Contract <u>No. 630</u>
Case no <u>SDG H1458</u>

CLIENT SAMPLE ID	LOCATION	MATRIX LEVEL	LAB SAMPLE ID	SAF NO	CHAIN OF CUSTODY	COLLECTED
B120B4	T-26/200 W	WATER	R108075-01	B01-059	B01-059-009	08/10/01 03:00
Method Blank		WATER	R108075-03	801-059		
Lab Control Sample		WATER	R108075-02	B01-059		
Duplicate (R108075-01)	T-26/200 W	WATER	R108075-04	B01-059		08/10/01 03:00

SAMPLE SUMMARY
Page 1
SUMMARY DATA SECTION
Page 3

SAMPLE DELIVERY GROUP H1458

SDG 7053 QC SUMMARY

Client	Hanford	
Contract	No. 630	
Case no	SDG_H1458	

QC BATCH	CHAIN OF CUSTODY	CLIENT SAMPLE ID	MATRIX SOLI	SAMPLE AMOUNT	BASIS AMOUNT	DAYS S RECEIVED		LAB SAMPLE ID	DEPARTMENT SAMPLE ID
7053	B01-059-009	B12DB4	WATER	2.0 L		08/15/01	5	R108075-01	7053-001
		Method Blank	WATER					R108075-03	7053-003
		Lab Control Sample	WATER					R108075-02	7053-002
		Duplicate (R108075-01)	WATER	2.0 L		08/15/01	5	R108075-04	7053-004

QC SUMMARY
Page 1
SUMMARY DATA SECTION
Page 4

SAMPLE DELIVERY GROUP H1458

SDG	7053
Contact	Melissa C. Mannion

PREP BATCH SUMMARY

Client	Hanford
Contract	No. 630
Case no	SDG H1458

			PREPARATION	ERROR			- PLA	NCHETS A	ANALY2	ZED	QUALI-
TEST	MATRIX	METHOD	BATCH	2σ %	CLIENT	MORE	RE	BLANK	LCS	DUP/ORIG MS/ORIG	FIERS
Gas	Proportion	al Counting									
93A	WATER	Gross Alpha in Water	6994-190	20.0	1			1	1	1/1	
938	WATER	Gross Beta in Water	6994-190	15.0	1			1	1	1/1	

Duplicates and Matrix Spikes are those with original (Client) sample in this Sample Delivery Group.

Blank and LCS planchets are those in the same preparation batch as some Client, Duplicate or Spike sample.

PREP BATCH SUMMARY
Page 1
SUMMARY DATA SECTION
Page 5

Lab id <u>TMANC</u>

Protocol <u>Hanford</u>

Version <u>Ver 1.0</u>

Form <u>DVD-PBS</u>

Version <u>3.06</u>

Report date <u>11/01/01</u>

SAMPLE DELIVERY GROUP H1458

SDG 7053 Contact Melissa C. Mannion

WORK SUMMARY

Client Hanford
Contract No. 630
Case no SDG H1458

CLIENT SAMPLE LOCATION		MATRIX	COLLECTED		SUF- Test fix an	ANALYZED	REVIEWED	BY	METHOD	
CUSTODY	SAF No		RECEIVED	PLANCHET	IESI	LIX	ANALTZEU	KEALEMED	ום	METHOD
B12DB4			R108075-01	7053-001	93A/93	R1	10/27/01	11/01/01	MCM	Gross Alpha in Water
T-26/200 W		WATER	08/10/01	7053-001	938/93	R1	10/27/01	11/01/01	MCM	Gross Beta in Water
B01-059-009	B01-059		08/15/01							
Method Blank			R108075-03	7053-003	93A/93	R1	10/27/01	11/01/01	MCM	Gross Alpha in Water
		WATER		7053-003	93B/93	R1	10/27/01	11/01/01	MCM	Gross Beta in Water
	B01-059									
Lab Control Sa	ımple		R108075-02	7053-002	93A/93	R1	10/27/01	11/01/01	MCM	Gross Alpha in Water
		WATER		7053-002	93B/93	R1	10/27/01	11/01/01	MCM	Gross Beta in Water
	в01-059									
Duplicate (R10	8075-01)		R108075-04	7053-004	93A/93	R1	10/27/01	11/01/01	MCM	Gross Alpha in Water
T-26/200 W	· · · · · ·	WATER	08/10/01	7053-004	93B/93	R1	10/27/01	11/01/01	MCM	Gross Beta in Water
,	B01-059		08/15/01							

TEST	SAF No	COUNTS	OF TESTS BY SA	AMPLE TYPE CLIENT MORE	RE BLANK	LCS	DUP SPIKE	TOTAL
93A/93	801-059	Gross Alpha in Water	900.0_ALPHABETA_GPC	1	1	1	1	4
938/93	B01-059	Gross Beta in Water	900.0_ALPHABETA_GPC	1	1	1	1	4
TOTALS				2	2	2	2	8

WORK SUMMARY
Page 1
SUMMARY DATA SECTION
Page 6

EBERLINE SERVICES/RICHMOND SAMPLE DELIVERY GROUP H1458

R108075-03

METHOD BLANK

Method Blank

	7053 Melissa C. Mannion	Client/Case no Contract		SDG_H1458
Lab sample id Dept sample id		Client sample id Material/Matrix		WATER
		SAF No	B01-059	

ANALYTE	CAS NO	RESULT pCi/L	2σ ERR (COUNT)	MDA pCi/L	RDL pCi/L	QUALI- FIERS	TEST
Gross Alpha	12587-46-1	-0.033	0.54	1.1	3.0	υ	93A
Gross Beta	12587-47-2	-0.019	1.8		4.0	υ	93B

200-TW-1 & 2-QC Sampling

QC-BLANK 39634

METHOD BLANKS
Page 1
SUMMARY DATA SECTION
Page 7

EBERLINE SERVICES/RICHMOND SAMPLE DELIVERY GROUP H1458

R108075-02

LAB CONTROL SAMPLE

Lab Control Sample

SDG 7053 Contact Melissa C. Mannion	Client/Case no <u>Hanford</u> <u>SDG_H1458</u> Case no <u>No. 630</u>
Lab sample id <u>R108075-02</u>	Client sample id Lab Control Sample
Dept sample id <u>7053-002</u>	Material/Matrix WATER
	SAF NO <u>B01-059</u>

ANALYTE	RESULT pCi/L	2σ ERR (COUNT)	MDA pCi/L	RDL pCi/L	QUALI- FIERS	TEST	ADDED pCi/L	2σ ERR pCi/L	REC %	3ø LMTS (TOTAL)	
Gross Alpha Gross Beta	76.0 71.6	5.1 3.7	1.2 2.7	3.0 4.0		93A 938	66.7 72.7	2.7	114 98		70-130 70-130

200-TW-1 & 2-QC Sampling

QC-LCS 39633		

LAB CONTROL SAMPLES
Page 1
SUMMARY DATA SECTION
Page 8

SAMPLE DELIVERY GROUP H1458

R108075-04

B12DB4

DUPLICATE

SDG 7053 Client/Case no Hanford SDG_H1458 Contact Melissa C. Mannion Case no No. 630 ORIGINAL DUPLICATE Lab sample id R108075-04 Lab sample id <u>R108075-01</u> Client sample id B12DB4 WATER Location/Matrix 1-26/200 W Dept sample id 7053-004 Dept sample id 7053-001 Received <u>08/15/01</u> Collected/Volume 08/10/01 03:00 2.0 L Custody/SAF No <u>B01-059-009</u> <u>B01-059</u>

ANALYTE	DUPLICATE pCi/L	2σ ERR (COUNT)	MDA pCi/L	RDL pCi/L	QUALI- FIERS	TEST	ORIGINAL pCi/L	2σ ERR (COUNT)	MDA pCî/L	QUALI- FIERS	RPD %	3ø PROT TOT LINIT
Gross Alpha Gross Beta	0.057 -1.12	0.56 1.5	1.1 2.7	3.0 4.0	U U	93A 93B	-0.180 0.651	0.42 1.8	0.95 3.0	U U	-	

200-TW-1 & 2-QC Sampling

|--|

DUPLICATES Page 1 SUMMARY DATA SECTION Page 9

EBERLINE SERVICES/RICHMOND SAMPLE DELIVERY GROUP H1458

R108075-01

DATA SHEET

B12DB4

	7053 Melissa C. Mannion	Client/Case no Contract		SDG_H1458
Lab sample id Dept sample id Received		Client sample id Location/Matrix Collected/Volume Custody/SAF No	T-26/200 W 08/10/01 03:00	WATER

ANALYTE	CAS NO	RESULT pCi/L	2σ ERR (COUNT)	MDA pCi/L	RDL pCi/L	QUALI- FIERS	TEST
Gross Alpha	12587-46-1	-0.180	0.42	0.95	3.0	U	93A
Gross Beta	12587-47-2	0.651	1.8	3.0	4.0	U	93B

200-TW-1 & 2-QC Sampling

DATA SHEETS
Page 1
SUMMARY DATA SECTION
Page 10

SAMPLE DELIVERY GROUP H1458

Test <u>93A</u> Matrix <u>WATER</u>
SDG <u>7053</u>
Contact <u>Melissa C. Mannion</u>

METHOD SUMMARY GROSS ALPHA IN WATER GAS PROPORTIONAL COUNTING

Client Hanford
Contract No. 630
Contract SDG_H1458

RESULTS

RAW SUF-LAB CLIENT SAMPLE ID SAMPLE ID TEST FIX PLANCHET Gross Alpha Preparation batch 6994-190 U R108075-01 93 R1 7053-001 B12DB4 BLK (QC ID=39634) R108075-03 93 7053-003 U R1 LCS (QC 1D=39633) R108075-02 93 R1 7053-002 ok 7053-004 U Duplicate (R108075-01) R108075-04 93 R1 Nominal values and limits from method RDLs (pCi/L) 3.0 200-TW-1 & 2-QC Sampling

METHOD PERFORMANCE

CLIENT SAMPLE ID	LAB SAMPLE ID	RAW TEST			AL IQ L		DILU-	RESID mg	EFF %			DRIFT KeV		PREPARED	ANAL- YZED	DETECTOR
Preparation batch 6994-	190 2 <i>o</i> pr	ep er	ror :	20.0 %	Reference	Lab	Noteboo	k 6994	pg.	190						
B12DB4	R108075-01	93	R1	0.95	0.300			4		100			78	10/27/01	10/27	GAW-114
BLK (QC ID=39634)	R108075-03	93	R1	1.1	0.300			20		100				10/27/01	10/27	GAW-114
LCS (QC ID=39633)	R108075-02	93	R1	1.2	0.300			19		100				10/27/01	10/27	GAW-115
Duplicate (R108075-01) (QC 1D=39635)	R108075-04	93	R1	1.1	0.300			4		100			78	10/27/01	10/27	GAW-115
Nominal values and limi	ts from metho	xd		3.0	0.300			5-250)	100	-		180			

PROCEDURES	REFERENCE	900.0_ALPHABETA_GPC
	CP-060	Soil Preparation, rev 3
	CP-070	Soil Dissolution, < 1.0g Aliquot, rev 4
	CP-170	Soil Preparation for Direct Gross Alpha and Gross
		Beta Counting, rev 3

AVERAGES ± 2 SD MDA 1.1 ± 0.21

FOR 4 SAMPLES RESIDUE 12 ± 18

METHOD SUMMARIES
Page 1
SUMMARY DATA SECTION
Page 11

SAMPLE DELIVERY GROUP H1458

Test 93B Matrix WATER
SDG 7053
Contact Melissa C. Mannion

METHOD SUMMARY

GROSS BETA IN WATER
GAS PROPORTIONAL COUNTING

Client	Hanford
Contract	No. 630
Contract	SDG H1458

RESULTS

CLIENT SAMPLE ID	LAB SAMPLE ID		SUF-	PLANCHET	Gross	Beta	
Preparation batch 6994-	190			* .** # <u> </u>			
B120B4	R108075-01	93	R1	7053-001	U		
BLK (QC ID=39634)	R108075-03	93	R1	7053-003	U		
LCS (QC 1D=39633)	R108075-02	93	R1	7053-002	ok		
Duplicate (R108075-01)	R108075-04	93	R1	7053-004	-	Ш	

METHOD PERFORMANCE

CLIENT SAMPLE ID	LAB SAMPLE ID		SUF- FIX	MDA pCi/L		PREP FAC	DILU- Tion	RESID mg	EFF %		FWHM keV	 	PREPARED	ANAL- YZED	DETECTOR
Preparation batch 6994-	190 2 <i>σ</i> pr	ep er	ror 1	5.0 %	Reference	Lab	Notebool	6994	pg.	190				•	
B12DB4	R108075-01	93	R1	3.0	0.300			4		100		78	10/27/01	10/27	GRB-114
BLK (QC ID=39634)	R108075-03	93	R1	3.1	0.300			20		100			10/27/01	10/27	GRB-114
LCS (QC ID=39633)	R108075-02	93	R1	2.7	0.300			19		100			10/27/01	10/27	GRB-115
Duplicate (R108075-01) (QC ID=39635)	R108075-04	93	R1	2.7	0.300			4		100		78	10/27/01	10/27	GRB-115
Nominal values and timi	ts from metho	od		4.0	0.300			5-250)	100		180			

PROCEDURES	REFERENCE	900.0_ALPHABETA_GPC
]	CP-060	Soil Preparation, rev 3
	CP-070	Soil Dissolution, < 1.0g Aliquot, rev 4
	CP-170	Soil Preparation for Direct Gross Alpha and Gross
		Beta Counting, rev 3

AVERAGES ± 2 SD MDA 2.9 ± 0.41
FOR 4 SAMPLES RESIDUE 12 ± 18

METHOD SUMMARIES
Page 2
SUMMARY DATA SECTION
Page 12

Lab id <u>TMANC</u>

Protocol <u>Hanford</u>

Version <u>Ver 1.0</u>

Form <u>DVD-CMS</u>

Version <u>3.06</u>

Report date <u>11/01/01</u>

SAMPLE DELIVERY GROUP H1458

SDG <u>7053</u>
Contact <u>Melissa C. Mannion</u>

REPORT GUIDE

Client	Hani	ord
Contract	No.	630
Case no	SDG	H1458

SAMPLE SUMMARY

The Sample and QC Summary Reports show all samples, including QC samples, reported in one Sample Delivery Group (SDG).

The Sample Summary Report fully identifies client samples and gives the corresponding lab sample identification. The QC Summary Report shows at the sample level how the lab organized the samples into batches and generated QC samples. The Preparation Batch and Method Summary Reports show this at the analysis level.

The following notes apply to these reports:

- * LAB SAMPLE ID is the lab's primary identification for a sample.
- * DEPARTMENT SAMPLE ID is an alternate lab id, for example one assigned by a radiochemistry department in a lab.
- * CLIENT SAMPLE ID is the client's primary identification for a sample. It includes any sample preparation done by the client that is necessary to identify the sample.
- * QC BATCH is a lab assigned code that groups samples to be processed and QCed together. These samples should have similar matrices.

QC BATCH is not necessarily the same as SDG, which reflects samples received and reported together.

* All Lab Control Samples, Method Blanks, Duplicates and Matrix Spikes are shown that QC any of the samples. Due to possible reanalyses, not all results for all these QC samples may be relevant to the SDG. The Lab Control Sample, Method Blank, Duplicate, Matrix Spike and Method Summary Reports detail these relationships.

REPORT GUIDES

Page 1
SUMMARY DATA SECTION

Page 13

SAMPLE DELIVERY GROUP H1458

SDG 7053
Contact Melissa C. Mannion

REPORT GUIDE

Client <u>Hanford</u>
Contract <u>No. 630</u>
Case no <u>SDG H1458</u>

PREPARATION BATCH SUMMARY

The Preparation Batch Summary Report shows all preparation batches in one Sample Delivery Group (SDG) with information necessary to check the completeness and consistency of the SDG.

The following notes apply to this report:

- * The preparation batches are shown in the same order as the Method Summary Reports are printed.
- * Only analyses of planchets relevant to the SDG are included.
- * Each preparation batch should have at least one Method Blank and LCS in it to validate client sample results.
- * The QUALIFIERS shown are all qualifiers other than U, J, B, L and H that occur on any analysis in the preparation batch. The Method Summary Report has these qualifiers on a per sample basis.

These qualifiers should be reviewed as follows:

- X Some data has been manually entered or modified. Transcription errors are possible.
- P One or more results are 'preliminary'. The data is not ready for final reporting.
- 2 There were two or more results for one analyte on one planchet imported at one time. The results in DVD may not be the same as on the raw data sheets.

Other lab defined qualifiers may occur. In general, these should be addressed in the SDG narrative.

REPORT GUIDES
Page 2
SUMMARY DATA SECTION
Page 14

SAMPLE DELIVERY GROUP H1458

SDG 7053 Contact Melissa C. Mannion

REPORT GUIDE

Client	Hani	ford	
Contract	No.	630	
Case no	SDG	H1458	

WORK SUMMARY

The Work Summary Report shows all samples, including QC samples, and all relevant analyses in one Sample Delivery Group (SDG). This report is often useful as supporting documentation for an invoice.

The following notes apply to this report:

- * TEST is a code for the method used to measure associated analytes. Results and related information for each analyte are on the Data Sheet Report. In special cases, a test code used in the summary data section is not the same as in associated raw data. In this case, both codes are shown on the Work Summary.
- * SUFFIX is the lab's code to distinguish multiple analyses (recounts, reworks, reanalyses) of a fraction of the sample. The suffix indicates which result is being reported. An empty suffix normally identifies the first attempt to analyze the sample.
- * The LAB SAMPLE ID, TEST and SUFFIX uniquely identify all supporting data for a result. The Method Summary Report for each TEST has method performance data, such as yield, for each lab sample id and suffix and procedures used in the method.
- * PLANCHET is an alternate lab identifier for work done for one test. It, combined with the TEST and SUFFIX, may be the best link to raw data.
- * For QC samples, only analyses that directly QC some regular sample are shown. The Lab Control Sample, Method Blank, Duplicate, Matrix Spike and Method Summary Reports detail these relationships.
- * The SAS (Special Analytical Services) Number is a client or lab assigned code that reflects special processing for samples, such as rapid turn around. Counts of tests done are lists by SAS number since it is likely to affect prices.

REPORT GUIDES
Page 3
SUMMARY DATA SECTION
Page 15

SAMPLE DELIVERY GROUP H1458

SDG 7053
Contact Melissa C. Mannion

REPORT GUIDE

Client Hanford
Contract No. 630
Case no SDG H1458

DATA SHEET

The Data Sheet Report shows all results and primary supporting information for one client sample or Method Blank. This report corresponds to both the CLP Inorganics and Organics Data Sheet.

The following notes apply to this report:

- * TEST is a code for the method used to measure an analyte. If the TEST is empty, no data is available; the analyte was not analyzed for.
- * The LAB SAMPLE ID and TEST uniquely identify work within the Summary Data Section of a Data Package. The Work Summary and Method Summary Reports further identify raw data that underlies this work.

The Method Summary Report for each TEST has method performance data, such as yield, for each Lab Sample ID and a list of procedures used in the method.

- * ERRORs can be labeled TOTAL or COUNT. TOTAL implies a preparation (non-counting method) error has been added, as square root of sum of squares, to the counting error denoted by COUNT. The preparation errors, which may vary by preparation batch, are shown on the Method Summary Report.
- * A RESULT can be 'N.R.' (Not Reported). This means the lab did this work but chooses not to report it now, possibly because it was reported at another time.
- * When reporting a Method Blank, a RESULT can be 'N.A.' (Not Applicable). This means there is no reported client sample work in the same preparation batch as the Blank's result. This is likely to occur when the Method Blank is associated with reanalyses of selected work for a few samples in the SDG.

The following qualifiers are defined by the DVD system:

U The RESULT is less than the MDA (Minimum Detectable Activity).

REPORT GUIDES
Page 4
SUMMARY DATA SECTION
Page 16

SAMPLE DELIVERY GROUP H1458

SDG 7053 Contact Melissa C. Mannion

GUIDE, cont.

Client	Hanford	
Contract	No. 630	
Case no	SDG H1458	

DATA SHEET

If the MDA is blank, the ERROR is used as the limit.

- J The RESULT is less than the RDL (Required Detection Limit) and no U qualifier is assigned.
- B A Method Blank associated with this sample had a result without a U flag and, after correcting for possibly different aliquots, that result is greater than or equal to the MDA for this sample.

Normally, B is not assigned if U is. When method blank subtraction is shown on this report, B flags are assigned based on the unsubtracted values while U's are assigned based on the subtracted ones. Both flags can be assigned in this case.

For each sample result, all Method Blank results in the same preparation batch are compared. The Method Summary Report documents this and other QC relationships.

- L Some Lab Control Sample that QC's this sample had a low recovery. The lab can disable assignment of this qualifier.
- H Similar to 'L' except the recovery was high.
- P The RESULT is 'preliminary'.
- X Some data necessary to compute the RESULT, ERROR or MDA was manually entered or modified.
- 2 There were two or more results available for this analyte. The reported result may not be the same as in the raw data.

Other qualifiers are lab defined. Definitions should be in the SDG narrative.

The following values are underlined to indicate possible problems:

* An MDA is underlined if it is bigger than its RDL.

REPORT GUIDES
Page 5
SUMMARY DATA SECTION
Page 17

EBERLINE SERVICES/RICHMOND SAMPLE DELIVERY GROUP H1458

SDG 7053
Contact Melissa C. Mannion

GUIDE, cont.

Client	Hani	Ford	
Contract	Νo.	630	
Case no	<u>\$DG</u>	H1458	

DATA SHEET

- * An ERROR is underlined if the 1.645 sigma counting error is bigger than both the MDA and the RESULT, implying that the MDA may not be a good estimate of the 'real' minimum detectable activity.
- * A negative RESULT is underlined if it is less than the negative of its 2 sigma counting ERROR.
- * When reporting a Method Blank, a RESULT is underlined if greater than its MDA. If the MDA is blank, the 2 sigma counting error is used in the comparison.

REPORT GUIDES
Page 6
SUMMARY DATA SECTION
Page 18

SAMPLE DELIVERY GROUP H1458

SDG 7053
Contact Melissa C. Mannion

REPORT GUIDE

Client	Hani	Eord	
Contract	No.	630	
Case no	SDG	H1458	

LAB CONTROL SAMPLE

The Lab Control Sample Report shows all results, recoveries and primary supporting information for one Lab Control Sample.

The following notes apply to this report:

- * All fields in common with the Data Sheet Report have similar usage. Refer to its Report Guide for details.
- * An amount ADDED is the lab's value for the actual amount spiked into this sample with its ERROR an estimate of the error of this amount.

An amount added is underlined if its ratio to the corresponding RDL is outside protocol specified limits.

- * REC (Recovery) is RESULT divided by ADDED expressed as a percent.
- * The first, computed limits for the recovery reflect:
 - 1. The error of RESULT, including that introduced by rounding the result prior to printing.

If the limits are labeled (TOTAL), they include preparation error in the result. If labeled (COUNT), they do not.

- 2. The error of ADDED.
- 3. A lab specified, per analyte bias. The bias changes the center of the computed limits.
- * The second limits are protocol defined upper and lower QC limits for the recovery.
- * The recovery is underlined if it is outside either of these ranges.

REPORT GUIDES
Page 7
SUMMARY DATA SECTION
Page 19

SAMPLE DELIVERY GROUP H1458

SDG 7053
Contact Melissa C. Mannion

REPORT GUIDE

Client	Hanj	ford	
Contract	No.	630	
Case no	SDG	H1458	

DUPLICATE

The Duplicate Report shows all results, differences and primary supporting information for one Duplicate and associated Original sample.

The following notes apply to this report:

- * All fields in common with the Data Sheet Report have similar usage. This applies both to the Duplicate and Original sample data. Refer to the Data Sheet Report Guide for details.
 - If the Duplicate has data for a TEST and the lab did not do this test to the Original, the Original's RESULTs are underlined.
- * The RPD (Relative Percent Difference) is the absolute value of the difference of the RESULTs divided by their average expressed as a percent.
 - If both RESULTs are less than their MDAs, no RPD is computed and a '-' is printed.
 - For an analyte, if the lab did work for both samples but has data for only one, the MDA from the sample with data is used as the other's result in the RPD.
- * The first, computed limit is the sum, as square root of sum of squares, of the errors of the results divided by the average result as a percent, hence the relative error of the difference rather than the error of the relative difference. The errors include those introduced by rounding the RESULTs prior to printing.
 - If this limit is labeled TOT, it includes the preparation error in the RESULTs. If labeled CNT, it does not.

This value reported for this limit is at most 999.

- * The second limit for the RPD is the larger of:
 - 1. A fixed percentage specified in the protocol.

REPORT GUIDES
Page 8
SUMMARY DATA SECTION
Page 20

SAMPLE DELIVERY GROUP H1458

SDG 7053 Contact Melissa C, Mannion

GUIDE, cont.

Client <u>Hanford</u>
Contract <u>No. 630</u>
Case no <u>SDG_H1458</u>

DUPLICATE

- 2. A protocol factor (typically 2) times the average MDA as a percent of the average result. This limit applies when the results are close to the MDAs.
- * The RPD is underlined if it is greater than either limit.
- * If specified by the lab, the second limit column is replaced by the Difference Error Ratio (DER), which is the absolute value of the difference of the results divided by the quadratic sum of their one sigma errors, the same errors as used in the first limit.

Except for differences due to rounding, the DER is the same as the RPD divided by the first RPD limit with the limit scaled to 1 sigma.

* The DER is underlined if it is greater than the sigma factor, typically 2 or 3, shown in the header for the first RPD limit.

REPORT GUIDES
Page 9
SUMMARY DATA SECTION
Page 21

EBERLINE SERVICES/RICHMOND SAMPLE DELIVERY GROUP H1458

SDG 7053
Contact Melissa C. Mannion

REPORT GUIDE

Client	Hanford
Contract	No. 630
Case no	SDG H1458

MATRIX SPIKE

The Matrix Spike Report shows all results, recoveries and primary supporting information for one Matrix Spike and associated Original sample.

The following notes apply to this report:

* All fields in common with the Data Sheet Report have similar usage. This applies both to the Spiked and Original sample data. Refer to the Data Sheet Report Guide for details.

If the Spike has data for a TEST and the lab did not do this test to the Original, the Original's RESULTs are underlined.

* An amount ADDED is the lab's value for the actual amount spiked into the Spike sample with its ERROR an estimate of the error of this amount.

An amount is underlined if its ratio to the corresponding RDL is outside protocol specified limits.

- * REC (Recovery) is the Spike RESULT minus the Original RESULT divided by ADDED expressed as a percent.
- * The first, computed limits for the recovery reflect:
 - The errors of the two RESULTs, including those introduced by rounding them prior to printing.

If the limits are labeled (TOTAL), they include preparation error in the result. If labeled (COUNT), they do not.

- 2. The error of ADDED.
- 3. A lab specified, per analyte bias. The bias changes the center of the computed limits.
- * The second limits are protocol defined upper and lower QC limits

REPORT GUIDES
Page 10
SUMMARY DATA SECTION
Page 22

SDG 7053
Contact Melissa C. Mannion

SAMPLE DELIVERY GROUP H1458

GUIDE, cont.

Client <u>Hanford</u>
Contract <u>No. 630</u>
Case no <u>SDG_H1458</u>

MATRIX SPIKE

for the recovery.

These limits are left blank if the Original RESULT is more than a protocol defined factor (typically 4) times ADDED. This is a way of accounting for that when the spike is small compared to the amount in the original sample, the recovery is unreliable.

* The recovery is underlined (out of spec) if it is outside either of these ranges.

REPORT GUIDES
Page 11
SUMMARY DATA SECTION
Page 23

SAMPLE DELIVERY GROUP H1458

SDG 7053 Contact Melissa C. Mannion

REPORT GUIDE

Client	Hani	ford	
Contract	No.	630	
Case no	SDG	H1458	

METHOD SUMMARY

The Method Summary Report has two tables. One shows up to five results measured using one method. The other has performance data for the method. There is one report for each TEST, as used on the Data Sheet Report.

The following notes apply to this report:

* Each table is subdivided into sections, one for each preparation batch. A preparation batch is a group of aliquots prepared at roughly the same time in one work area of the lab using the same method.

There should be Lab Control Sample and Method Blank results in each preparation batch since this close correspondence makes the QC meaningful. Depending on lab policy, Duplicates need not occur in each batch since they QC sample dependencies such as matrix effects.

* The RAW TEST column shows the test code used in the raw data to identify a particular analysis if it is different than the test code in the header of the report. This occurs in special cases due to method specific details about how the lab labels work.

The Lab Sample or Planchet ID combined with the (Raw) Test Code and Suffix uniquely identify the raw data for each analysis.

* If a result is less than both its MDA and RDL, it is replaced by just 'U' on this report. If it is greater than or equal to the RDL but less than the MDA, the result is shown with a 'U' flag.

The J and X flags are as on the data sheet.

- * Non-U results for Method Blanks are underlined to indicate possible contamination of other samples in the preparation batch. The Method Blank Report has supporting data.
- * Lab Control Sample and Matrix Spike results are shown as: ok, No data, LOW or HIGH, with the last two underlined. 'No data'

REPORT GUIDES
Page 12
SUMMARY DATA SECTION
Page 24

Lab id TMANC
Protocol Hanford

Version Ver 1.0

Form DVD-RG

Version 3.06

Report date <u>11/01/01</u>

SAMPLE DELIVERY GROUP H1458

SDG 7053
Contact Melissa C. Mannion

GUIDE, cont.

Client	Hanford
Contract	No. 630
Case no	SDG H1458

METHOD SUMMARY

means no amount ADDED was specified. 'LOW' and 'HIGH' correspond to when the recovery is underlined on the Lab Control Sample or Matrix Spike Report. See these reports for supporting data.

- * Duplicate sample results are shown as: ok, No data, or OUT, with the last two underlined. 'No data' means there was no original sample data found for this duplicate. 'OUT' corresponds to when the RPD is underlined on the Duplicate Report. See this report for supporting data.
- * If the MDA column is labeled 'MAX MDA', there was more than one result measured by the reported method and the MDA shown is the largest MDA. If not all these results have the same RDL, the MAX MDA reflects only those results with RDL equal to the smallest one.

MDAs are underlined if greater than the printed RDL.

- * Aliquots are underlined if less than the nominal value specified for the method.
- * Prepareation factors are underlined if greater than the nominal value specified for the method.
- * Dilution factors are underlined if greater than the nominal value specified for the method.
- * Residues are underlined if outside the range specified for the method. Residues are not printed if yields are.
- * Yields, which may be gravimetric, radiometric or some type of recovery depending on the method, are underlined if outside the range specified for the method.
- * Efficiencies are underlined if outside the range specified for the method. Efficiencies are detector and geometry dependent so this test is only approximate.

REPORT GUIDES
Page 13
SUMMARY DATA SECTION
Page 25

Lab id TMANC
Protocol Hanford
Version Ver 1.0
Form DVD-RG
Version 3.06

Report date 11/01/01

SAMPLE DELIVERY GROUP H1458

SDG <u>7053</u> Contact <u>Melissa</u> C. Mannion

GUIDE, cont.

Client Hanford
Contract No. 630
Case no SDG H1458

METHOD SUMMARY

- * Count times are underlined if less than the nominal value specified for the method.
- * Resolutions (as FWHM; Full Width at Half Max) are underlined if greater than the method specified limit.
- * Tracer drifts are underlined if their absolute values are greater than the method specified limit. Tracer drifts are not printed if percent moistures are.
- * Days Held are underlined if greater than the holding time specified in the protocol.
- * Analysis dates are underlined if before their planchet's preparation date or, if a limit is specified, too far after it.

For some methods, ratios as percentages and error estimates for them are computed for pairs of results. A ratio column header like '1+3' means the ratio of the first result column and the third result column.

Ratios are not computed for Lab Control Sample, Method Blank or Matrix Spike results since their matrices are not necessarily similar to client samples'.

The error estimate for a ratio of results from one planchet reflects only counting errors since other errors should be correlated. For a ratio involving different planchets, if QC limits are computed based on total errors, the error for the ratio allows for the preparation errors for the planchets.

The ratio is underlined (out of spec) if the absolute value of its difference from the nominal value is greater than its error estimate. If no nominal value is specified, this test is not done.

For Gross Alpha or Gross Beta results, there may be a column showing the sum of other Alpha or Beta emitters. This sum includes all relevant

REPORT GUIDES
Page 14
SUMMARY DATA SECTION
Page 26

SAMPLE DELIVERY GROUP H1458

SDG 7053 Contact <u>Melissa C. Mannion</u>

GUIDE, cont.

Client <u>Hanford</u>
Contract <u>No. 630</u>
Case no <u>SDG_H1458</u>

METHOD SUMMARY

results in the DVD database, whether reported or not. Results in the sum are weighted by a particles/decay value specified by the lab for each relevant analyte. Results less than their MDA are not included. No sums are computed for Lab Control, Method Blank or Matrix Spike samples since their various planchets may not be physically related.

If a ratio of total isotopic to Gross Alpha or Beta is shown, the error for the ratio reflects both the error in the Gross result and the sum, as square root of sum of squares, of the errors in the isotopic results.

For total elemental uranium or thorium results, there may be a column showing the total weight computed from associated isotopic results. Ignoring results less than their MDAs, this is a weighted sum of the isotopic results. The weights depend on the molecular weight and half-life of each isotope so as to convert activities (decays) to weight (atoms).

If a ratio of total computed to measured elemental uranium or thorium is shown, the error for the ratio reflects the errors in all the measurements.

REPORT GUIDES
Page 15
SUMMARY DATA SECTION
Page 27

Bechtel Hanfor	d Inc.	CI	HAIN OF CUST	ODY/S	AMI	AMPLE ANALYSIS REQUEST B01-059-009 Page				Page 1	of 1							
Collector Thomas, G/Watson, D.			iny Contact d, M.	Telepho (509)	ne No. 372-963	 31		_	Project TREN	ct Coordir IT. SJ	ator	Price	Code	7N	Data Tu	naround		
Project Designation 200-TW-1 & 2 - QC Sampling		Sampl	T 41.	458 (/	53))		SAF N B01-0			Air (Quality		45]	Days		
Ice Chest No. SML	457		Logbook No. 1518- (CO. B207	A TW267	4C			od of Ship Ex	nent							
Shipped To DSa 7/18	oerline	Offsite	e Property No.	010	2;	74			BM o	(Lating) 423	579	34 (1	137		_			
POSSIBLE SAMPLE HAZA			,						- 1									
			Preservation	HNO340 PH		d 4C	H2SO4 to pH <2 Cool 4C	to pH <		Cool 4C	HNO3 to ⊲2	pH						
 Special Handling and/or	Storage		Type of Container	вG	/	G	aG	aGs	s*	s G	¥Ģ.							
Special transmil and or	2001 age		No. of Container(s)	1		1	1	3		2	2 ·							
			Volume	500mL	500	OrniL	500mL	40m	ıL	1000mL	1000m	L	 					
sample analysis				See item (1) in Special Instructions	Spe	m (2) in ecial ections.	Ammoria - 350.3; NO2/NO3 - 353.1; TOC - 9060	10A-8	E O	erri-VOA – 1270A (Add- let) (Tributyl phosphate)	Gross Alg Gross B							
Sample No.	Matrix *	Sample Date	Sample Time															
B12DB4	WATER	8/10/01	0300								X							
								<u> </u>										
				 	┷			L				\perp						
		·····			-			 			<u> </u>	4				 		
CONTINUE DOSCUSSIO	l l	Si/D	- Name	<u> </u>	1		. T. Talenta) NACC			L_		<u> </u>		Matrix *		
CHAIN OF POSSESSION Relinquished By/Removed From Date/Time 0 74/5 Relinquished By/Removed From Date/Time Received By/Stored In Date/Time Date/Time Relinquished By/Removed From Date/Time Received By/Stored In Date/Time Relinquished By/Removed From Date/Time Received By/Stored In Date/Time Relinquished By/Removed From Date/Time Received By/Stored In Date/Time P: 48 Relinquished By/Removed From Date/Time Received By/Stored In Date/Time Title IABORATORY Received By Title FINAL SAMPLE Disposal Method				245 000 ::45 -01	** The ERC acknowledges that the analytical holding time for Nitrate by EPA Method 300.0 will not be next met. (1) ICP Metals - 6010A (PAL) (Cadmium, Chamium, Copper, Nickel, Silver); ICP Metals - 6010A (Add-ta) (Lead) (Add-ta) (Lead) (Add-ta) (Cadmium, Chamium, Copper, Nickel, Silver); ICP Metals - 6010A (Add-ta) (Lead) (Add-ta) (Cadmium, Chamium, Copper, Nickel, Silver); ICP Metals - 6010A (Add-ta) (Lead) (Add-ta) (Cadmium, Chamium, Copper, Nickel, Silver); ICP Metals - 6010A (Add-ta) (Lead) (Add-ta) (Cadmium, Chamium, Copper, Nickel, Silver); ICP Metals - 6010A (Add-ta) (Cadmium, Chamium, Copper, Nickel, Silver); ICP Metals - 6010A (Add-ta) (Cadmium, Chamium, Copper, Nickel, Silver); ICP Metals - 6010A (Add-ta) (Cadmium, Chamium, Copper, Nickel, Silver); ICP Metals - 6010A (Add-ta) (Cadmium, Chamium, Copper, Nickel, Silver); ICP Metals - 6010A (Add-ta) (Cadmium, Chamium, Chamium, Copper, Nickel, Silver); ICP Metals - 6010A (Add-ta) (Cadmium, Chamium, Chamium, Copper, Nickel, Silver); ICP Metals - 6010A (Add-ta) (Cadmium, Chamium, Chamium, Copper, Nickel, Silver); ICP Metals - 6010A (Add-ta) (Cadmium, Chamium, Copper, Nickel, Silver); ICP Metals - 6010A (Add-ta) (Cadmium, Chamium, Copper, Nickel, Silver); ICP Metals - 6010A (Add-ta) (Cadmium, Chamium, Chamium, Copper, Nickel, Silver); ICP Metals - 6010A (Add-ta) (Cadmium, Chamium, Chamium, Copper, Nickel, Silver); ICP Metals - 6010A (Add-ta) (Cadmium, Chamium, Chamium, Copper, Nickel, Silver); ICP Metals - 6010A (Add-ta) (Cadmium, Chamium, Chamium, Copper, Nickel, Silver); ICP Metals - 6010A (Add-ta) (Cadmium, Chamium, Chamium, Copper, Nickel, Silver); ICP Metals - 6010A (Add-ta) (Cadmium, Chamium, Chamium, Copper, Nickel, Silver); ICP Metals - 6010A (Add-ta) (Cadmium, Chamium, Chamium, Chamium, Copper, Nickel, Silver); ICP Metals - 6010A (Add-ta) (Cadmium, Chamium, Chamium						8-Soil SD-Sodiment SO-Solid SI-Shidge W = Water O-Oil A-Air DD-Drum Liquids T=Issue W=Wipe L-Liquid L-Liquid							
DISPOSITION															ate/Time			

SAMPLE RECEIPT CHECKLIST

SAMPLE RECEIPT								
Client: Bechtel Hanford Date/Time received B-15-01 9:45								
COC NO. BOI-058-148, BOI-058-149, BOI-058-150, BOI-058-151 & BOI-059-009								
Container I.D. No. SML-457 Requested TAT (Days) 45 P.O. Received Yes & No []								
» INSPECTION								
1. Custody seals on shipping container intact? Yes [-] No [] N/A []								
2. Custody seals on shipping container dated & signed? Yes [] No [] N/A []								
3. Custody seals on sample containers intact? Yes [] No [] N/A []								
4. Custody seals on sample containers dated & signed? Yes [1/2 No [] N/A []								
5. Cooler Temperature: Packing material is: Wet [] Dry []								
6. Number of samples in shipping container:								
7. Number of containers per sample: (Or see CoC)								
8. Paperwork agrees with samples? Yes [No []								
9. Samples have: Tape [Hazard labels [] Rad labels [Appropriate sample labels []								
10. Samples are: In good condition [] Leaking [] Broken Container [] Missing []								
11. Describe any anomalies:								
13. Was P.M. notified of any anomalies? Yes [2-] No [] Date 4-15-62								
14. Received by 17 200 Date: 3-15-01 Time: 9:45								
LOGIN								
TNU W.O. No. Group No. Client W.O. No. PROGRAM MANAGER								
Sample holding times exceeded? Yes [] No []								
Client Notified: Name Date/time								
Concrete Hame								

Lionville Laboratory, Inc. VOA ANALYTICAL DATA PACKAGE FOR TNUHANFORD B01-059 H1458

RFW LOT # :0108L570

CLIENT ID	RFW	#	MTX	PREP #	COLLECTN	DATE REC	EXT/PREP	ANALYSIS
				· · · · · · · · · · · · · · · · · · ·				
B12DB4	001		W	01LVX326	08/10/01	08/15/01	N/A	08/16/01
B12DB4	001	MS	W	01LVX326	08/10/01	08/15/01	N/A	08/16/01
B12DB4	001	MSD	W	01LVX326	08/10/01	08/15/01	N/A	08/16/01
LAB QC:								
VBLKLS	MB1		W	01LVX326	N/A	N/A	N/A	08/16/01
VBLKLS	MB1	BS	W	01LVX326	N/A	N/A	N/A	08/16/01





Client: TNU-HANFORD B01-059

RFW #: 0108L570

SDG/SAF #: H1458/B01-059

W.O. #: 11343-606-001-9999-00 Date Received: 08-15-2001

GC/MS VOLATILE

One (1) water sample was collected on 08-10-2001.

The sample and its associated QC samples were analyzed according to criteria set forth in Lionville Laboratory OPs based on SW 846 Method 8260A for TCL Volatile target compounds on 08-16-2001.

The following is a summary of the QC results accompanying these sample results and a description of any problems encountered during their analyses:

- 1. The cooler temperature upon receipt has been recorded on the chain-of-custody.
- 2. The sample was analyzed within required holding time.
- 3. Non-target compounds were not detected in the sample.
- 4. All surrogate recoveries were within EPA QC limits.
- 5. All matrix spike recoveries were within EPA QC limits.
- 6. All blank spike recoveries were within EPA QC limits.
- 7. The method blank contained the common laboratory contaminant Methylene Chloride at levels less than the CRQL.
- 8. Internal standard area and retention time criteria were met.

9. "I certify that this sample data package is in compliance with SOW requirements, both technically and for completeness, other than the conditions detailed above. Release of the data contained in this hard-copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature."

President

Lionville Laboratory Incorporated

som\group\data\voa\tnu-hanford\0108-570.doc

The results presented in this report relate only to the analytical testing and conditions of the samples at receipt and during storage. All pages of this report are integral parts of the analytical data. Therefore, this report should only be reproduced in its entirety of 9 pages.

GLOSSARY OF VOA DATA

DATA QUALIFIERS

- U = Compound was analyzed for but not detected. The associated numerical value is the estimated sample quantitation limit which is included and corrected for dilution and percent moisture.
- Indicates an estimated value. This flag is used under the following circumstances: 1) when estimating a concentration for tentatively identified compounds (TICs) where a 1:1 response is assumed; or 2) when the mass spectral data indicate the presence of a compound that meets the identification criteria but the result is less than the specified detection limit but greater than zero. For example, if the limit of detection is 10 ug/L and a concentration of 3 ug/L is calculated, it is reported as 3J.
- B = This flag is used when the analyte is found in the associated blank as well as in the sample. It indicates possible/probable blank contamination. This flag is also used for a TIC as well as for a positively identified TCL compound.
- E = indicates that the compound was detected beyond the calibration range and was subsequently analyzed at a dilution.
- D = Identifies all compounds identified in an analysis at a secondary dilution factor.
- I = Interference.
- NQ = Result qualitatively confirmed but not able to quantify.
- N = Indicates presumptive evidence of a compound. This flag is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It is applied to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the N code is not used.
- This flag is used for a TIC compound which is quantified relative to a response factor generated from a daily calibration standard (rather than quantified relative to the closest internal standard).
- Y = Additional qualifiers used as required are explained in the case narrative.



.2

GLOSSARY OF VOA DATA

ABBREVIATIONS

BS = Indicates blank spike in which reagent grade water is spiked with the CLP matrix spike solutions and carried through all the steps in the method. Spike recoveries are reported.

BSD = Indicates blank spike duplicate.

MS = Indicates matrix spike.

MSD = Indicates matrix spike duplicate.

DL = Suffix added to sample number to indicate that results are from a diluted analysis.

NA = Not Applicable.

DF = Dilution Factor.

NR = Not Required.

SP, Z = Indicates Spiked Compound.



TECHNICAL FLAGS FOR MANUAL INTEGRATION

Manual quantitation modifications or integrations are performed routinely to improve the data quality for a variety of technical reasons. Documentation of these modifications should be clear and concise. The following "flags" are used to indicate the technical reasons for quantitation modifications:

- MP Missed Peak: manually added peak not found by automatic quantitation program.
- PA Peak Assignment: quantitation report was changed to reflect correct peak assignment.
- RI Routine Integration: routine integrations are performed for some analytes that are consistently integrated improperly by the automatic integration programs. Examples are the dichlorobenzene isomers on the VOA packed column and benzo(b)fluoranthene/benzo(k)fluoranthene which are poorly resolved on the BNA column.
- SP Split Peak: the automatic integration improperly split the peak; a manual integration was performed to get the correct area.
- CB Coelution/Background: peak was manually integrated to eliminate contribution from coeluting compounds, background signal, or other interference.
- PI Proper Integration: a peak with poor or inconsistent integration (e.g., excessive tail) was properly integrated manually.



L-WI-035/a-mi-10/00

Volatiles by GC/MS, HSL List

Report Date: 09/10/01 13:48 RFW Batch Number: 0108L570 Client: TNUHANFORD B01-059 H1458 Work Order: 11343606001 Page: 1a

	Cust ID:	B12DB4	L	B12DB4	Ŀ	B12DB4	ŀ	VBLKLS		VBLKLS BS		
Sample Information	RFW#: Matrix: D.F.: Units:	001 WATER 1.(ug/I	00	001 MS WATER 1.(ug/I	0	001 MSD WATER 1.0 ug/L	0	01LVX326-M WATER 1.0 ug/I	00	01LVX326-M WATER 1.0 ug/L	0	
	Toluene-d8	96	*	97	*	95	ક	96		105	 %	
Surrogate Brom	nofluorobenzene	102	8	102	ê	105	8	96	ş	106	ş	
-	chloroethane-d4	100	8	101	8	101	ę.	98	옿	97	ě	
=======================================												=========f1
Chloromethane		10	U	10	U	10	Ü	10	U	10	U	
Bromomethane		10	Ū	10	Ū	10	Ū	10	Ū	10	U	
Vinyl Chloride		10	Ü	10	Ū	- -	Ū	10	Ū	10	U	
Chloroethane		10	Ū	10		10	_	10	Ū	10	IJ	
Methylene Chloride		7	В	7	В	7	В	4	J	7	B	
Acetone		10	U	10	Ü	10	U	10	Ū	10	U	
Carbon Disulfide		5	U	5	IJ	5	U	5	U	5	U	
1,1-Dichloroethene		5	Ū	89	ક	88	윰	5	Ū	94	8	
1,1-Dichloroethane		5	U	5	U	5	U	5	U	5	Ū	
1,2-Dichloroethene	(total)	5	U	5	U	5	U	5	U	5	Ū	
Chloroform		5	Ū	5	U	5	U	5	Ū	5	Ū	
1,2-Dichloroethane		5	U	5	U	5	U	5	U	5	U	
2-Butanone		10	U	10	U	10	U	10	U	10	U	
1,1,1-Trichloroetha	ne	5	U	5	U	5	U	5	Ū	5	U	
Carbon Tetrachlorid	le	5	U	5	Ų	5	Ų	5	U	5	U	
Bromodichloromethan	ne	5	U	5	U	5	U	5	U	5	ប	
1,2-Dichloropropane	.	5	U	5	U	5	U	5	Ū	5	U	
cis-1,3-Dichloropro	pene	5	U	5	Ū	5	U	5	U	5	U	
Trichloroethene		5	U	104	왐	102	왐	5	U	102	ક્ષ	
Dibromochloromethan	ne	5	U	5	U	5	U	5	U	5	U	
1,1,2-Trichloroetha	ine	5	Ū	5	U	5	U	5	U	5	U	
Benzene		5	U	96	ક	93	ક	5	U	97	ક્ર	
Trans-1,3-Dichlorop	oropene	5	U	5	U	5	U	5	U	5	บ	
Bromoform		5	U	5	U	5	U	5	U	5	U	
4-Methyl-2-pentanon	ıe	10	U	10	U	10	U	10	U	10	Ū	
2-Hexanone		10	U	10	Ū	10	U	10	Ū	10	Ū	
Tetrachloroethene_		5	U	5	Ū	5	U	5	U	5	U	
1,1,2,2-Tetrachloro	oethane	5	U	5	U	5	U	5	U	5	U	
Toluene		5	U	98	*	95	8	5	ប	107	ક	

^{*=} Outside of EPA CLP QC limits.

RFW Batch Number: 01	.08L570 Clie	ent: TNUH	ANFOR	D B01-059	H145	8 Work C	rde	r: 11343606	001	Page: 1h)	
	Cust ID:	B12DB4	•	B12DB4	1	B12DB4		VBLKLS		VBLKLS BS	-	
	RFW#:	001		001 MS	}	001 MSD)	01LVX326-M	B 1	01LVX326-	Œ1	
Chlorobenzene		5	U	99	*	98	*	5	U	99	 *	
Ethylbenzene_		5	U	5	Ū	5	U	5	U	5	U	
Styrene		5	U	5	U	5	U	5	U	5	U	
Xylene (total)		5	U	5	Ū	5	U	5	Ū	5	Ū	
*= Outside of EPA CL	P QC limits.											

CIONVIlle Labor		Use Only	Custo ا سل	dy Tr	ans	fer iL: coi	Rec	ord/l ONLY S	Lab '	Wo ARE A~と	AS		qu	les	t P	age_	<u> </u> 01	<u> </u>	G	₩.	5	V	ABORNO	, I
Client TO	u-1	danford	DO1-0	259			Refrige	rator#		1	5													
		pling Date					#/Type	Container	Liquid	390	JA					3,	189		1Pa	ios		142		
		3-600		9999-	<u> </u>		,,,,,		Solid			- 10 m		2.4				V. 53				U. F. V	V 37	4. % .
Project Conta	ct/Pho	ne #					- Volume	•	Liquid	40	16		_				500		500	500				
Lionville Labo	oratory	Project Mana	ger <u>05</u>	· · · · · · · · · · · · · · · · · · ·			<u> </u>		Solid	HCL)		-			<u> </u>	 	13			Hisoy				
oc Soci	<u>-</u>	Del Sta	TAT	_30	G ort		Presen	vatives		HEY!		ANIC	<u></u>				HNO3	RG	1 7	, ž8				
Date Rec'd	8.1	5.01	Date Due _	9-1	7-01		ANALY			40V		Pest/	F G				Metal		L C	NE S				
MATRIX		Ţ		-		Matrix		T			<u> </u>	L	1		Llonv	lile La	borate	ory Us			1			
S - Soil SE - Sediment SO - Solid	Lab ID		Client ID/Descri	iption		Chosen (V)	Matrix	Date Collected	Time Collected	CLOCHE	Coessx			}			mcto		100	TOHOU				
SL - Sludge W - Water	201	Bia	LDB4			XX		8/10/01	030	X	X						X		X	×				The s
O - Oil A - Air	<u> </u>	1 30.0						1															14	
DS - Drum Solids		<u> </u>																					1/201 (1/2)	
DL - Drum Liquids		<u> </u>	···			1																		
L - EP/TCLP Leachate																						1		
WI - Wipe X - Other		<u> </u>		· · · · · · · · · · · · · · · · · · ·																		200		11.17.1.3 485-131.
F - Fish										:													2,1	1 2 3 1
																				Ι, ,				
	<u> </u>										10.0													
								1																
Special Instruc	tions:	90 70C	05.05	9		\mathfrak{M}		ns: 1.Cd,C 2.TCC			_		.50	ICP	<u>ы</u> , Т	:csa	4 1)	amples Shippe and De	were;	_ or	T ₁) Preser	istant Se at on Ou	iter
			3 4 5 6									- A 2 3 C 4	irbill#_	79s ont or (wed in the second	HIBO GOOD OX N	10 p 3) Unbro ackage) Presei) Unbro iample	ken on (or or Sa or or ken on	Outer N emple r N					
Relinquishe by	DEX D. Amer 915101 0940 CC					COMP	OSTE	Received by		Date RIG		ne	San	crepand hples Li C Reco FES:	abels a		5	Received	ved Wi Times	or N thin 2 or (N)	U S X C		cord Pre mole Re or	ec't

Bechtel Hanfo	rd Inc.	C	HAIN OF CUST	ODY/S	SAMPL	E ANAL	YSIS	RE	QUEST	r	Bu	1-059-009	Page 1	of 1
Collector Thomas, G/Watson, D.		Comp	any Contact d, M.	Telepho				Proj	ect Coordi NT, SJ	nator	Price Code	7N	Data Tu	rnaround
Project Designation 200-TW-1 & 2 - QC Samplin	g		ing Location 6/200 W				T I	SAF B01-		A	ir Quali	ty 🗆	45	Days
Ice Chest No. SML -			Logbook No. 1518 — 1		COA B20TW2	2674C			od of Ship d Ex	ment	·			
	WUILLE	Offsite	Property No. AC	103	2.2_			BIII (of Lading/	Air Bill No	423	5795	4644	10
POSSIBLE SAMPLE HAZA	RDS/REMARKS								7	{				1
			Preservation	HNO3 to pH <2	<u> </u>	HZSO4 to pH <2 Cool 4C	to pH <2	Coo	Cool 4C	HNO3 to pl				}
Special Handling and/or	Storage		Type of Container	a.G	a.G	a.G	aGs*		aG	◆ G				
			No. of Container(s)	1	1	1	3			$\frac{1}{2}$				
		_	Volume	500mL	500mL	500mL	40mL		1000mL	1000mL				
	SAMPLE ANALY	YSIS		See item (1) in Special Instructions.	See item (2) Special Instruction	350.3	VOA - 82 (TCL))	Semi-VOA 8270A (Add- On) (Tributyl phosphate)	Gross John				
Sample No.	Matrix *	Sample Date	Sample Time											
B12D84	WATER	8/10/01	0300	X	X	×	X		<u> X</u>					
					 		<u> </u>	_					ļ <u> </u>	
				 	 		<u> </u>	}		ļ			 	<u> </u>
	1			 	 		_	┪		<u> </u>	 	- 	 	
CHAIN OF POSSESSI		Sign/Prin		<u> </u>		CIAL INSTR				٠				Matrix *
Relinquished Dy Removed From	Date/Time 0745		ed in Da	te/Time o	745 "me	The ERC acknow	viceges tha	at the a	malytical hold	ling time for	Nitrate by BPA	Method 300.0	will not be	S=Soil
Relinquished By/Removed From	Date/Time	Received By/Stor		10/0/ te/time	 _	ICP Metals - 60	10A (TAL)) (Cadi	lmium Chron	nùm Conne	· Nickel Silve	ert-100 kalada la	60204	SO-Soliment SO-Solid
REFZC 814	101 1000	SIGA	LE Stah	81401	(A	id-on) (Lead)							OUTUA	Si-Sindge W = Water O=Oil
Relinquished By/Removed From	Date/Time	Received By/Stor	ed In De	ite/Time	Š	IC Anions - 300. amples did no	t origina	ite in		, Niune, Ph	ebusic, emisse	:i		A=Air
51 CALE Mobile		FED	EX			ndiological con								DS=Drum Solide DL=Drum Liquida
Relinquished By/Removed From	Date/Time	Received By/Stor	~~/	te/Time		otal activity as ample/sample:	Socialeu L	Miffi						T=Tieses W)=Wipe
Relinquished By/Removed From	8-15-01 0940 Date/Time	Received By/Stor		te/Time	-	• • •	• •	•						L=Liquid V=Vegetation X=Other
Relinquished By/Removed From	Date/Time	Received By/Stor	ed in Da	te/Time										
LABORATORY Received E	Зу			Ti	itle			<u></u>			<u>. </u>		Date/Time	
FINAL SAMPLE Disposal N DISPOSITION	Aethod				Dispo	sed By			<u> </u>			Date/Time		

Lionville Laboratory, Inc. BNA ANALYTICAL DATA PACKAGE FOR TNUHANFORD B01-059 H1458

DATE RECEIVED: 08/15/01 LVL LOT # :0108L570

CLIENT ID	LVL #	MTX	PREP #	COLLECTION	EXTR/PREP	ANALYSIS
				00/00/00	20/20/20	
B12DB4	001	W	01LE0961	08/10/01	08/16/01	08/21/01
B12DB4	001 MS	W	01LE0961	08/10/01	08/16/01	08/21/01
B12DB4	001 MSD	W	01LE0961	08/10/01	08/16/01	08/21/01
LAB QC:						
						
SBLKDX	MB1	W	01LE0961	N/A	08/16/01	08/21/01
SBLKDX	MB1 BS	W	01LE0961	N/A	08/16/01	08/21/01



Client: TNU-HANFORD B01-059

LVL#: 0108L570

SDG/SAF #: H1458/B01-059

W.O. #: 11343-606-001-9999-00

Date Received: 08-15-2001

SEMIVOLATILE

One (1) water sample was collected on 08-10-2001.

The sample and its associated OC samples were extracted on 08-16-2001 and analyzed according to criteria set forth in Lionville Laboratory OPs based on SW 846 Method 8270C for client specified Semivolatile target compound Tributylphosphate on 08-21-2001.

The following is a summary of the QC results accompanying the sample results and a description of any problems encountered during their analyses:

- The cooler temperature upon receipt has been recorded on the chain-of-custody. 1.
- 2. The sample was extracted and analyzed within required holding times.
- 3. Six (6) of fifteen (15) surrogate recoveries were outside EPA OC limits. The surrogate recovery criteria were not met for samples B12DB4 MS and the blank spike (01LE0961-MB1 BS). It appears that the matrix spike analysis for sample B12DB4 was inadvertently not spiked with surrogate or spike compounds. A copy of the Sample Discrepancy Report (SDR) has been enclosed.
- Seven (7) of twelve (12) matrix spike recoveries were outside EPA QC limits. 4.

Four (4) of six (6) blank spike recoveries were outside EPA QC limits.

The target compound is not included in the spiking solution. (CLP spike recoveries have been reported on the Form 3.)

Internal standard area and retention time criteria were met. 5.

I certify that this sample data package is in compliance with SOW requirements, both 6. technically and for completeness, other than the conditions detailed above. Release of the data contained in this hard-copy data package has been authorized by the Laboratory Manager or a

designee, as verified by the following signature.

Lionville Laboratory Incorporated

som\gorup\data\bna\tnu-hanford-0108-570.doc

The results presented in this report relate only to the analytical testing and conditions of the samples at receipt and during storage. All pages of this report are integral parts of the analytical data. Therefore, this report should only be reproduced in its entirety of 1 0 pages.

02

Lionville Laboratory Sar	nple Discrepancy Re	port (SDR) SD	R#: 01ms 278
Initiator: Glymn Batch:	01086570	Parameter:_	BIMA
Date: 8'-50-0 Sample		Matrix:	water
Client: The Harland Method	SW846/MCAWW/CLP/	Prep Batch:	014E0461
1. Reason for SDR a. COC Discrepancy Tech Profile E Transcription b. General Discrepancy Missing Sample/Extract Conta Hold Time Exceeded Insuff Improper Bottle Type Not A Note*: Verified by [Log-In] or [Prep Group] (circle) c. Problem (Include all relevant specific Matrix Spike has no B) have bevent 2. Known or Probable Causes(s)	Error Client Request Error Wrong Test Code siner Broken Wr ficient Sample Pre ficient Sample P	Sampler Error on COther ong Sample Pulled eservation Wrong /) //	O-C _ Label ID's Illegible _ Received Past Hold
Another sample in the spiked with both sur	rogatis and spike	s	oen couble
3. Discussion and Proposed Action Re-log Entire Batch Following Samples: Re-leach Re-extract Re-digest Revise EDD Change Test Code to Place On/Take Off Hold (circle)	Other Description: nurate insu	ار ا	for extraction
4. Project Manager Instructionssignature Concur with Proposed Action Disagree with Proposed Action; See Include in Case Narrative Client Contacted: Date/Person Add Cancel		15n. 8 29 U	
5. Final Actionsignature/date:	역[기(이 Other][analysis] (circle)	Explanation:	
When Final Action has been recorded,			
Route Distribution of Completed SDR X Initiator X Lab General Manager: M. Tay X Project Mgr: Stone/Johnson/H X Technical Mgr: Wesson/Danie X QA (file): Alberts Data Management: Feldman Sample Prep: Beegle/Kiger	elorasiett	Distribution of <u>Completed</u> S Metals: Beegle Inorganic: Perrone GC/LC: Kiger MS: Rychlak/Layman Log-in: Keppel Admin: Soos Other:	SDR

GLOSSARY OF BNA DATA

DATA QUALIFIERS

- Compound was analyzed for but not detected. The associated numerical value is the estimated sample quantitation limit which is included and corrected for dilution and percent moisture.
- Indicates an estimated value. This flag is used under the following circumstances: 1) when estimating a concentration for tentatively identified compounds (TICs) where a 1:1 response is assumed; or 2) when the mass spectral data indicate the presence of a compound that meets the identification criteria but the result is less than the specified detection limit but greater than zero. For example, if the limit of detection is 10 ug/L and a concentration of 3 ug/L is calculated, it is reported as 3J.
- B = This flag is used when the analyte is found in the associated blank as well as in the sample. It indicates possible/probable blank contamination. This flag is also used for a TIC as well as for a positively identified TCL compound.
- E = ... Indicates that the compound was detected beyond the calibration range and was subsequently analyzed at a dilution.
- D = Identifies all compounds identified in an analysis at a secondary dilution factor.
- lnterference.
- NO = Result qualitatively confirmed but not able to quantify.
- A = Indicates that a TIC is a suspected aidol-condensation product.
- N = Indicates presumptive evidence of a compound. This flag is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It is applied to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the N code is not used.
- This flag is used for a TIC compound which is quantified relative to a response factor generated from a daily calibration standard (rather than quantified relative to the closest internal standard).
- Y = Additional qualifiers used as required are explained in the case narrative.



GLOSSARY OF BNA DATA

ABBREVIATIONS

BS = Indicates blank spike in which reagent grade water is spiked with the CLP matrix spike solutions and carried through all the steps in the method. Spike recoveries are reported.

BSD = Indicates blank spike duplicate.

MS = Indicates matrix spike.

MSD = Indicates matrix spike duplicate.

DL = Suffix added to sample number to indicate that results are from a diluted analysis.

NA = Not Applicable.

DF = Dilution Factor.

NR = Not Required.

SP, Z = Indicates Spiked Compound.



TECHNICAL FLAGS FOR MANUAL INTEGRATION

Manual quantitation modifications or integrations are performed routinely to improve the data quality for a variety of technical reasons. Documentation of these modifications should be clear and concise. The following "flags" are used to indicate the technical reasons for quantitation modifications:

- MP Missed Peak: manually added peak not found by automatic quantitation program.
- PA Peak Assignment: quantitation report was changed to reflect correct peak assignment.
- RI Routine Integration: routine integrations are performed for some analytes that are consistently integrated improperly by the automatic integration programs. Examples are the dichlorobenzene isomers on the VOA packed column and benzo(b)fluoranthene/benzo(k)fluoranthene which are poorly resolved on the BNA column.
- SP Split Peak: the automatic integration improperly split the peak; a manual integration was performed to get the correct area.
- CB Coelution/Background: peak was manually integrated to eliminate contribution from coeluting compounds, background signal, or other interference.
- PI Proper Integration: a peak with poor or inconsistent integration (e.g., excessive tail) was properly integrated manually.



L-WI-035/a-mi-10/00

2

Semivolatiles by GC/MS, Special List

Report Date: 08/27/01 07:25 RFW Batch Number: 0108L570 Client: TNUHAMFORD B01-059 H1458 Work Order: 11343606001 Page: la

	Cust ID:	B12DB4	4	B12D	B 4	B12DB4	ŀ	SBLKDX	SBLKDX BS	
Sample Information	RFW#: Matrix:	00: WATER	1	001 WATE	_	001 MSI WATER)	01LE0961-MB1 WATER	01LE0961-MB1 WATER	
	D.F.: Units:	1.0 UG/1		1 UG	.00 /L	1.0 UG/1		1.00 UG/L	1.00 UG/L	
	Nitrobenzene-d5	55	%	0	* %	52	૪	47 %	28 * %	
Surrogate	2-Fluorobiphenyl	55	8	0	* %	49	8	42 * %	25 * %	
Recovery	Terphenyl-d14	74	४	_	* %	72	૪	68 %		
=======================================		*======	==fl==	======	===fl=:		==fl	======f	l======fl	.======f
Tributylphosph	nate	0.6	J	N		NS		10 U	NS	



^{*=} Outside of EPA CLP QC limits.

3C

WATER SEMIVOLATILE MATRIX SPIKE/MATRIX SPIKE DUPLICATE RECOVERY

Lab Name: Lionville Labs, Inc.

Contract: <u>1343-06-01</u>

Case No.: TNUHANFORD B01-059 H1458 RFW Lot No.: 0108L570-001

MATRIX Spike - Sample No.: B12DB4

Level:(low/med) <u>LOW</u>

COMPOUND	SPIKE ADDED UG/L	SAMPLE CONCENTRATION UG/L	MS CONCENTRATION UG/L	MS % REC #	QC LIMITS REC
1,4-Dichlorobenzene	1 104	0	0	0 1	36 -97
N-Nitroso-Di-n-propylamine		j o	o	0 *	41 -116
1,2,4-Trichlorobenzene	104	j o	0	0 *	39 -98
Acenaphthene	104	j o	0	0 *	46 -118
2,4-Dinitrotoluene	104	0	0	0 +	24 -96
Pyrene	104	0	0	0 +	26 -127

COMPOUND	SPIKE ADDED UG/L	MSD CONCENTRATION UG/L	MSD % REC #	 % RPD #	QC RPD	LIMITS REC
COMPOUND	100/1	1 00/11 1	KEC #	KED #	RFD	KEC
1,4-Dichlorobenzene	106	36.8	35 *	205 *	28	36 -97
N-Nitroso-Di-n-propylamine	106	54.5	51	204 *	38	41 -116
1,2,4-Trichlorobenzene	106	40.8	39	205 *	28	39 -98
Acenaphthene	106	53.8	51	204 *	31	46 -118
2,4-Dinitrotoluene	106	66.3	63	203 *	38	24 -96
Pyrene	106	76.2	72	200 *	31	26 -127
	.	i				1

[#] Column to be used to flag recovery and RPD values with an asterisk

RPD: 6 out of 6 outside limits

Spike Recovery: 7 out of 12 outside limits

COMMENTS:

^{*} Values outside of QC limits

3C WATER SEMIVOLATILE BLANK SPIKE RECOVERY

Lab Name: Lionville Labs, Inc.

Contract: <u>1343-06-01</u>

Case No.: <u>TNUHANFORD B01-059 H1458</u> RFW Lot No.: <u>0108L570</u>

BLANK Spike - Sample No.: SBLKDXLE0961-MB1 Level: (low/med) LOW

COMPOUND	SPIKE ADDED UG/L	SAMPLE CONCENTRATION UG/L	BS CONCENTRATION UG/L	BS % REC	#:	Lī	C MITS REC
	========				===	====	=====
l,4-Dichlorobenzene	50.0	1 0	11.7	23	*	36	-97
N-Nitroso-Di-n-propylamine	50.0	0	18.9	38	*	41	-116
1,2,4-Trichlorobenzene	50.0	0	12.5	25	*	39	-98
Acenaphthene	50.0	0	18.3	37	*	46	-118
2,4-Dinitrotoluene	50.0	0	24.2	48	j	24	-96
Pyrene	50.0	0	28.5	57	j	26	-127

[#] Column to be used to flag recovery value with an asterisk

Spike Recovery: 4 out of 6 outside limits

COMMENTS:

^{*} Values outside of QC limits

Lionville Labor			Cus		-					ord/L only s	HADED	ARE	AS	_	qu	es	t Pá	age_	_	, 1		ŧ		V	ARONATO	JKF 4NI
Client TO	11-4	م م آ مرا	(B)	1-05	.Cu			1	Refriger	rator #		A-C	DE S						F		G	H]		
Est. Final Pro				1-0-	27		·		<u> </u>		Liquid	399	22	. (2)	<u></u>	- <u>1</u>	7		1Pa)Pa	Jeg			13.	
Project #				n- 9	999	00			#/Type	Container ————	Sollid		7.2				(3√2) (4√2)		Ų		ੁ ਰ	,		100		
Project Conta									Volume	ı	Liquid	40	IL.				, f , j		500		500	500	4	-	- j () () ()	
Lionville Labo	oratory (Project Mar	nager 🗘	72_							Solid	it'l	-			<u></u>		<u></u>	13		-	Hisof	-		7.	
00 200 0	<u> </u>	Del	<u> </u>	AT	<u>30</u>	<u> 40</u>	4	=	Preserv	ratives		HZC	ORG	ANIC					HNOZ	ORG		₹ <u>@</u> .				+-
Date Rec'd	815	5.01	_ Date [Due	9-	4:0	1		ANALY REQUE			40V		Pest PCB	Herb		, ,		Metal	ठ	H C	EST.		}		
MATRIX							Ma	trix					·	·——	Ţ		Lionv	ille La	borat	ory Us	e Onl	<u> </u>	1	1	T	
CODES: S - Soil SE - Sediment SO - Solid SL - Sludge	Lab ID	,	Client ID/L	Description	ion		Che	C Sen () MSD	Matrix	Date Collected	Time Collected	THEST	Sussx						meto		100	エトサント	<u> </u>			
W - Water O - Oil	001	BI	adb	4			X	X	w	8/10/01	030	X	X		-				X		X	×				
A + Air							<u> </u>																		, j., j	
DS - Drum Solids DL - Drum		}					1																		1	
Liquids L - EP/TCLP			· · · · · · · · · · · · · · · · · · ·				1																		- E	
Leachate W1 - Wipe							1										7	3 1								
X - Other F - Fish																								ــــــــــــــــــــــــــــــــــــــ		
· · · · · · · · · · · · · · · · · · ·												<u> </u>			<u> </u>										.	
														<u> </u>			4		<u> </u>	<u> </u>						
														<u> </u>	ļ									<u> </u>		4
									REVISIO	<u> </u>	<u> </u>	1		<u> </u>		<u>_</u>		<u> </u>		<u> </u>		<u> </u>	<u> </u>	<u> </u>		
Relinquishe		Received by	Di	à à la	Time CR40	F	lelinqu by	Ished		1. C.d., C. 2. T.C.L., 3 4 5 6 Pecelved by	TCFI.		71	TCY	Diss San CO	TCP	ies Bel	ween	1 HA 4 2 3 C 4 F	isamples) Shipp tand De uirbitt #) Ambit i) Recei Condition i) Samp Property i) Recei folding	od	wed or N		amper Re) Presee Package () Unbro Package () Unbro Sample () COC Re Jpon Sa Cooler Femp. S	nt on O ken on A	Outer Ir N I Outer Ir N Sample or N I N resent

Bechtel Hanfor	d Inc.	CE	IAIN OF CUST	ODY/S	AMPL	E ANAL	<u>YS</u> IS	R	EQUEST			B01	-059-009	Page 1	of 1
Collector Thomas, G/Watson, D.		Compa Todd	ny Contact i, M.	Telephor (509)3	ne No. 172-9631				oject Coordin ENT, SJ	ator	Pr	ice Code	7N	Data Tur	í
Project Designation 200-TW-I & 2 - QC Sampling			ng Location /200 W						LF No. 11-059		Aí	r Quality		45 I	Days
Ice Chest No. SML -	286		oghook No. 518 — †	_	COA B20TW2	674C			ethod of Shipn Fed Ex	neni					
Shipped To DSA 7/18/0	N RECRA	Offsite	Property No. AC	103	22			Bi	il of Lading/A	dr B	ill No.	423.	57959	4644	0
POSSIBLE SAMPLE HAZAF					}							} }	Ţ		
			Preservation	HNO3 to pH	<u> </u>	<2 Cool 4C	HCl or H to pH <	2 Coo	٠	/HIM	03 to pH <z< td=""><td><u></u></td><td></td><td></td><td></td></z<>	<u></u>			
Special Handling and/or S	Storage		Type of Container	aG	, G	aG	aG:		aG	1	∌G	<u></u>			
			No. of Container(s)	500mL	500mL	500mL	40n		1000mL	1	2 DOmL		 		
	·		Volume	<u> </u>						_	<u> </u>				
	SAMPLE ANALYSI		See item (1) is Special Instructions.	Special	350.3;	VOA -I		A Semi-VOA — 8270A (Add- On) (Tributyl phosphate)	G	as Alpha; oas beta					
Sample No.	Matrix *	Sample Date	Sample Time												
B120B4	WATER	8/10/01	0300	X	X	×		<u> </u>	K				I		
				ļ	<u> </u>		{ _			<u> </u>		<u> </u>	 		
				ļ	 		├			ļ		<u> </u>			
<u> </u>				 	 	 -	├			┞		 	 	 	
CHAIN OF POSSESSIO	N N	Sign/Prin	Names	<u> </u>	lep)	ECIAL INSTR		ONG	<u>_</u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>	Matrix *
Relinquished By/Removed From Ref 2 C 814 Relinquished By/Removed From Ref 3 C 814 Relinquished By/Removed From S 1 GAU: Mellinquished By/Removed From	Date/Time 5/45 Date/Time O 1 000 Date/Time S 140 1000 Date/Time	ed In Schola	ste/Time o	745 me (1) (2) (2) (2) (3)	The ERC acknown. 1. (1) ICP Metals - 60 dd-on) {Lead} 2) IC Anions - 300 samples did activity as one activity as	wledges to 10A (TA 1.0 {Chlor of origin ntroller ssociate	that that the thick t	he analytical hold Cadmium, Chron Fluoride, Nitrate 1 In ea. No	nium	Copper,	Nickel, Silver	}; ICP Metals -		S=Soil XE=Stationers SO=Gold Si=Station Si=Station Si=Station Si=Station A=Air DS=Drum Liquids T=Times Wg=Wips	
Relinquished By/Removed From Relinquished By/Removed From		Received By/Stor	eddh D	ate/Time	140	ample/sample	• . <i>.</i>		•						L=Liquid V=Vegetation X=Other
LABORATORY Received B	у	L		1	itle								I	Date/Time	
FINAL SAMPLE Disposal M DISPOSITION	ethod					Disp	osed By		. <u></u>		<u>,</u> ,	·		Date/Time	

Lionville Laboratory, Inc. INORGANIC ANALYTICAL DATA PACKAGE FOR TNUHANFORD B01-059 H1458

DATE RECEIVED: 08/15/01 LVL LOT # :0108L570 CLIENT ID /ANALYSIS LVL # MTX PREP # COLLECTION EXTR/PREP ANALYSIS **B12DB4** SILVER, TOTAL 001 01L0548 08/10/01 08/31/01 09/02/01 SILVER, TOTAL W 01L0548 08/10/01 001 REP 08/31/01 09/02/01 SILVER, TOTAL 001 MS 01L0548 08/10/01 08/31/01 09/02/01 CADMIUM, TOTAL 001 W 01L0548 08/10/01 08/31/01 09/02/01 CADMIUM, TOTAL 001 REP W 01L0548 08/10/01 08/31/01 09/02/01 CADMIUM, TOTAL 001 MS W 01L0548 08/10/01 08/31/01 09/02/01 CHROMIUM, TOTAL 001 W 01L0548 08/10/01 08/31/01 09/02/01 W CHROMIUM, TOTAL 001 REP 01L0548 08/10/01 08/31/01 09/02/01 CHROMIUM, TOTAL 001 MS W 01L0548 08/10/01 08/31/01 09/02/01 COPPER, TOTAL 001 W 01L0548 08/10/01 08/31/01 09/02/01 COPPER, TOTAL 001 REP W 01L0548 08/10/01 08/31/01 09/02/01 COPPER, TOTAL 001 MS 01L0548 08/10/01 08/31/01 09/02/01 NICKEL, TOTAL 001 W 01L0548 08/10/01 08/31/01 09/02/01 NICKEL, TOTAL 001 REP W 01L0548 08/10/01 08/31/01 09/02/01 W NICKEL, TOTAL 001 MS 01L0548 08/10/01 08/31/01 09/02/01 LEAD, TOTAL 01L0548 001 08/10/01 08/31/01 09/02/01 LEAD, TOTAL 001 REP W 01L0548 08/10/01 08/31/01 09/02/01 LEAD, TOTAL 001 MS 01L0548 08/10/01 08/31/01 09/02/01 LAB QC: SILVER LABORATORY LC1 BS W 01L0548 N/A 08/31/01 09/02/01 01L0548 N/A 08/31/01 SILVER, TOTAL MB1 09/02/01 LC1 BS 01L0548 N/A 08/31/01 CADMIUM LABORATORY W 09/02/01 CADMIUM, TOTAL MB1 W 01L0548 N/A 08/31/01 09/02/01 CHROMIUM LABORATORY LC1 BS 01L0548 N/A 08/31/01 09/02/01 W 01L0548 N/A 08/31/01 CHROMIUM, TOTAL MB1 09/02/01 COPPER LABORATORY LC1 BS W 01L0548 N/A 08/31/01 09/02/01 W 01L0548 N/A COPPER, TOTAL MB1 08/31/01 09/02/01 NICKEL LABORATORY LC1 BS 01L0548 N/A 08/31/01 09/02/01 MB1 W 01L0548 N/A NICKEL, TOTAL 08/31/01 09/02/01 LEAD LABORATORY LC1 BS W 01L0548 N/A 08/31/01 09/02/01 LEAD, TOTAL MB1 01L0548 N/A 08/31/01 09/02/01



Analytical Report

Client: TNU-HANFORD B01-059

LVL#: 0108L570

SDG/SAF#: H1458/B01-059

W.O.#: 11343-606-001-9999-00

Date Received: 08-15-01

METALS CASE NARRATIVE

1. This narrative covers the analysis of 1 water sample.

- 2. The sample was prepared and analyzed in accordance with methods checked on the attached glossary.
- 3. All analyses were performed within the required holding times.
- 4. The cooler temperature has been recorded on the Chain of Custody.
- 5. All Initial and Continuing Calibration Verifications (ICV/CCVs) were within the 90-110% control limits.
- 6. All Initial and Continuing Calibration Blanks (ICB/CCBs) were within control limits (less than the PQL).
- 8. All ICP Interference Check Standards were within control limits.
- 9. All laboratory control samples (LCS) were within the 80-120% control limits. Refer to the Inorganics Laboratory Control Standards Report.
- 10. All matrix spike (MS) recoveries were within the 75-125% control limits. Refer to the Inorganics Accuracy Report.
- 11. The duplicate analyses for 3 analytes were outside the 20% Relative Percent Difference (RPD) control limits. Refer to the Inorganics Precision Report.
- 12. For the purposes of this report, the data has been reported to the Instrument Detection Limit (IDL). Values between the IDL and the Practical Quantitation Limit (PQL) are acquired in a region of less-certain quantification.

13. I certify that this sample data package is in compliance with SOW requirements, both technically and for completeness, other than the conditions detailed above. Release of the data contained in this hard-copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature.

Iain Daniels

Deputy Laboratory Manager Lionville Laboratory Incorporated

gmb/m08-570

<u>ソ**ソ-\ユ-**の</u> (Date



METALS METHOD GLOSSARY

	ods are used as referen ととちつの	nce for the digestion	and analysis of	f samples con	tained within this
Leaching Procedure:	1310131113	312Other:			
CLP Metals Diges	stion and Analysis !	Methods:LM03.	0 _ILM04.0		
Metals Digestion Me	thods: 3005A 30	010A3015302	0A _3050B	305120	00.7 _SS17
	_Other: _				
	M	letals Analysis Me	thods		
		_		EPA	
	SW846	EPA	STD MTD	OSWR	USATHAMA
Aluminum	6010B	200.7			99
Antimony	_6010B _7041 ⁵	200.7204.2			99
Arsenic	6010B7060A ⁵	200.7206.2	3113B		99
Barium	6010B	200.7			99
Beryllium	6010B	200.7			99
Bismuth	6010B ¹	200.7 1		1620	99
Boron	6010B	200.7			99
Cadmium	<u>√</u> 6010B <u>_</u> 7131A ⁵	200.7213.2			99
Calcium	6010B	200.7			99
Chromium	∠6010B 7191 ⁵	200.7218.2			SS17
Cobalt	6010B	200.7			99
Copper	<u> </u>	200.7220.2			99
lron	6010B	200.7			99
Lead	∠6010B _7421 ⁵	200.7239.2	3113B		99
Lithium	_6010B _7430 ⁴	200.7		1620	99
Magnesium	6010B	200.7			<u>99</u>
Manganese	6010B	200.7			99
Mercury	7470A ³ 7471A ³				99
Molybdenum	6 010B	200.7			99
Nickel	∠6010B	200.7			99
Potassium	_6010B _76104	200.7258.1 4			99
Rare Earths	6010B ¹	200.7 1		1620	99
Selenium	6010B7740 ^s	200.7270.2	_3113B		99
Silicon	_6010B'	200.7		1620	99
Silica	6010B	200.7		1620	99
Silver	∠6010B _7761 ^s	200.7272.2			99
Sodium	6010B77704	200.7273.1 4			99
Strontium	6010 B	200.7			99
Thallium	6010B7841 ⁵	200.7279.22	00.9	•	99
Tin	6010B	200.7			99
Titanium [.]	6010B	200.7			99
Uranium	6010B ¹	200.7 1		1620	99
Vanadium	6010B	200.7			99
Zinc	_6010B	200.7			99
Zirconium	_6010B,	200.7 ¹		1620	99
Other:	Metho	od:			

LAVI-033/M-11/09

4

METHOD REFERENCES AND DATA QUALIFIERS

DATA QUALIFIERS

- U = Indicates that the parameter was not detected at or above the reported limit. The associated numerical value is the sample detection limit.
- * = Indicates that the original sample result is greater than 4x the spike amount added.

ABBREVIATIONS

MB = Method or Preparation Blank.

MS = Matrix Spike.

MSD = Matrix Spike Duplicate.

REP = Sample Replicate

LCS = Laboratory Control Sample.

NC = Not calculated.

ANALYTICAL METAL METHODS

- 1. Not included in the method element list.
- 2. Modified Hg: Hg1 and Hg2 require less total volume of digestate due to the autosampler analysis. Sample volumes and reagents for mercury determinations in water and soil have been proportionately scaled down to adapt to this semi-automated technique. The sample volume used for water analysis is 33 mL. For soils, 0.1 grams of sample is taken to a final volume of 50 mL (including all reagents).
- 3. Modified Hg: Hg1 and Hg2 require less total volume of digestate due to the autosampler analysis. Sample volumes and reagents for mercury determinations in water and soil have been proportionately scaled down to adapt to this semi-automated technique. The sample volume used for water analysis is 33 mL. For soils, three 0.1 gram of sample is taken to a final volume of 50 mL (including all reagents).
- 4. Flame AA.
- 5. Graphite Furnace AA.

RFW 21-21L-033/N-10/96

INORGANICS DATA SUMMARY REPORT 09/17/01

CLIENT: TNUHANFORD B01-059 H1458 LVL LOT #: 0108L570

					REPORTING	DILUTION
SAMPLE	SITE ID	ANALYTE	RESULT	UNITS	LIMIT	FACTOR
*****			****	*****		
-001	B12DB4	Silver, Total	0.53	ng\r	0.50	1.0
		Cadmium, Total	0.45	UG/L	0.30	1.0
		Chromium, Total	8.5	UG/L	1.4	1.0
		Copper, Total	0.74	UG/L	0.50	1.0
		Nickel, Total	4.0	UG/L	1.7	1.0
		Lead, Total	2.4 u	UG/L	2.4	1.0

INORGANICS METHOD BLANK DATA SUMMARY PAGE 09/17/01

CLIENT: TNUHANFORD B01-059 H1458 LVL LOT #: 0108L570

					RBPORTING	DILUTION
SAMPLE	SITE ID	ANALYTE	RESULT	UNITS	LIMIT	PACTOR
*****	************	*****	****			******
BLANKI	01L0548-MB1	Silver, Total	0.50 u	UG/L	0.50	1.0
		Cadmium, Total	0.30 u	ng/p	0.30	1.0
		Chromium, Total	1.4 u	UG/L	1.4	1.0
		Copper, Total	0.66	UG/L	0.50	1.0
		Nickel, Total	1.7 u	UG/L	1.7	1.0
		Lead, Total	2.4 u	UG/L	2.4	1.0

INORGANICS ACCURACY REPORT 09/17/01

CLIENT: TNUHANFORD B01-059 H1458 LVL LOT #: 0108L570

			SPIKED	INITIAL	SPIKED		DILUTION
SAMPLE	SITE ID	ANALYTE	Sample	RESULT	AMOUNT	*RBCOV	FACTOR (SPK)
******	************	****		******			
-001	B12DB4	Silver, Total	50.6	0.53	50.0	100.1	1.0
		Cadmium, Total	48.9	0.45	50.0	96.9	1.0
		Chromium, Total	198	8.5	200	94.7	1.0
		Copper, Total	255	0.74	250	101.6	1.0
		Nickel, Total	498	4.0	500	98.9	1.0
		Lead. Total	496	2.4 u	500	99.2	1.0

INORGANICS PRECISION REPORT 09/17/01

CLIENT: TNUHANFORD B01-059 H1458 LVL LOT #: 0108L570

WORK ORDER: 11343-606-001-9999-00

			INITIAL				DILUTION
SAMPLE	SITE ID	Analyte	RESULT	REPLICATE	RPD		FACTOR (RBP)
==**===				~****	=====		********
-001RBP	B12DB4	Silver, Total	0.53	0.50u	ÌΥÇ	200	1.0
		Cadmium, Total	0.45	0.30u	ye	Z 00	1.0
		Chromium, Total	8.5	6.9	20.8		1.0
		Copper, Total	0.74	0.72	2.7		1.0
		Nickel, Total	4.0	3.3	19.2		1.0
		Lead, Total	2.4 u	2.4 u	NC		1.0

M39/17/01

INORGANICS LABORATORY CONTROL STANDARDS REPORT 09/17/01

CLIBNT: TNUHANFORD B01-059 H1458 LVL LOT #: 0108L570

			SPIKED	SPIKED		
SAMPLE	SITE ID	ANALYTE	SAMPLE	AMOUNT	UNITS	*RECOV
	***********					*****
LCS1	01L0548-LC1	Silver, LCS	493	500	UG/L	98.7
		Cadmium, LCS	250	250	UG/L	100
		Chromium, LCS	498	500	OG/L	99.5
		Copper, LCS	1260	1250	UG/L	100.9
		Nickel, LCS	2010	2000	UG/L	100.6
		Lead, LCS	2500	2500	UG/L	100.1

Lionville Labora	alory U	lse Only	Cı	usto	dy T	ran	sfe	er F	Reco	ord/L	.ab \	No	rk	Re	qu	les	t Pa	age_	<u>\</u> of					V	1	
01081	_57	0	W	FI	ELD PEI	RONI	MEL:	COM	PLETE	ONLY S	HADED	ARE	AS D.E	•					F		G	Н		DXVIIII	turis i tri	
Client TO	11- K	bala	12	01-0	59				Refriger	rator #		1	5													
Est. Final Pro					*************************************						Uquid	300	200	in the	. <u></u>		بالمساد	يد عندا	JP4		In	Les				نست
Project #1	1.34	3- Lec	X 0- C	201-	9999	-00			ж/тура	Container	Solid	13. Set 14. Set	•	oy (fig. 7 Mari					<u> </u>					12/2	300	基值
Project Conta									Volume		Liquid	40	116	in.		1			500		500	500	100	<u> </u>		فأفورد
Lionville Lebo	ratory	Project M	anager .	0.7					-	<u></u> _	Solid		[HESON		اختيبا	-	
٥٥ ڪ					_30	<u>da</u>	4	<u></u> -	Preserv	ratives	<u></u>			ANIC		 			HI63	PRG	-	377				-
Date Rec'd	8·V	5·01	D:	ate Due _	9-	14-o	, 		ANALY REQUE			ΥÓΥ		Pest/	Harb	1	-		Metal	ह	J i	A SE				
MATRIX	<u> </u>	Ţ .				··	Т	etyl x		T					1		Liony	ille La	borat	ory U	e On	y	Ţ			
CODES: S - Soil SE - Sediment	tab ID		Clien	t ID/Descr	iption		Ch	(v) osen (c)	Metrix	Date Collected	Time Collected	CAPTE	XSSA					 	24		TCO	CANO	1			
SO - Solid SL - Sludge	 	<u> </u>					MS	MSD		<u> </u>	ļ			—		-	↓	 	>			PP	-	-	┼	-
W - Water O - Oil	201	L_£	Jar	B4		<u></u>	X	X	w	8/10/01	030	X	X				ļ	ļ	X	ļ	X	↓X		خبنيا		
A - Air DS - Drum		<u> </u>		·			1_		<u> </u>				-	ļ	<u> </u>	 		<u> </u>	٠		1	1	1	ر در از		
Solids DL - Drum	<u> </u>											نغيضا	<u> </u>			<u> </u>	ļ				1			1	نبنا	W 75
Liquids	<u> </u>			<u> </u>		·				و منابع		_											<u>.</u>		نسل	سفنت
Leachate WI - Wipe	<u> </u>												.	المنتقل		<u> </u>	<u> </u>	3.	-	1	<u> </u>	-	1		1	
X - Other F - Fish	<u></u>	1						<u> </u>		J			<u> </u>		ļ		<u> </u>			<u> </u>		-	سنا.		1	
}	<u> </u>		·		<u>.</u>			1			م د دند	1		بعثيا			4		ئىدا						1	
							1	1.		<u> </u>		غبناد	1_	1	1	-	1	4		4-	1	حفاح		1	- 	بسل
ł																1	1					1000	4	_	-	
									<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>.l. </u>		<u>L.</u>		<u>.</u>	<u> </u>	.l	<u> </u>	<u>.l.</u>		يـــــــــــــــــــــــــــــــــــــ	<u> </u>		<u></u>
Special Instruc	tions:	₹0 6	Bo	1-05	9			M		ons: 1.Cd,C 2.TOC) 3			_		705	ICF	<u>}</u>	CCSC	# ; - i	Shipp Hand D Airbill # 12, 30 2) Ambi	s were; oed —	54 (d)	UD.	Tamper Re 1) Prese Package 2) Unbro Package 3) Prese	esistant S ont on C o O o	Outer or N Outer or N Sample
Relinquishe	ार्च जिल्ला	Receive	be	Date	Time] [-	Belings by	ulahed	Ī	5 6 Received by		Date	77	ime	Sa	screpen	abels (and	_	Condition Same Property	on (A) ples y Press (C)	or N erved or N		4) Unbro Sample COC Re Upon Sa	oken on or ecord Pi	N resent
HEDEX		Dir	nde	1/15/01	0940		C	ORP	OSITE		- bi	राद	INAI		100	OC Reco	xd? Y	or (N			Times	or N		Cooler Temp. ≤	~~	

Bechtel Hanfo	ord Inc.	CI	IAIN OF CUST	ODY/S	SAMP	LE	ANAL	YSIS	RE	QUEST	,		B 01	L- 059-0 09	Page 1	of 1
Collector Thomas, G/Watson, D.		Compa Tode	ny Contact 1, M.	Telepho (509)	me No. 372-963	 1				Ject Coordin NT, SJ	ator	Pr	ice Code	7N	Data Tur	
Project Designation 200-TW-1 & 2 - QC Sampli	ng		ing Location 5/200 W						SAF No. B01-059			Ai	r Quality	y 🗆	45 I	Days
	- 286		.oghook No. 1518 ← ¶	No. COA Method of Shipment B20TW2674C Fed Ex												
Shipped To DS a 7/18	ONUILLE	Offsite	Property No. AC	103	22				Bill	of Lading/A	dr B	M No.	423.	5795	4644	0
POSSIBLE SAMPLE HAZ	ards/remarks			}					ł	\						
			Preservation	HNO3 to pf <2	Cool	IAC	FIZSO4 to pH <2 Cool 4C	HClorH topH<2		Cool 4C	HING	O3 to pH <2				
 Special Handling and/or	r Storage		Type of Container	₽ G		3 T	aG	aGs*		#G	1	aG				
			No. of Container(s)	1	1		1	3		2		2				
			Volume	500mL	500	mL	500mL	40m	ıL	1000mL	19	DOML				
	sample analy:	sis	,	See item (1) Special Instructions	Spe	oiel	Ammonia - 350.3; NO2/NO3 - 353.1; TOC - 9060	VOA - 8 (TCI		Semi-VOA — 8270A (Add- On) (Tributyl phosphate)	Gn	by the constant				
Sample No.	Matrix *	Sample Date	Sample Time													
B12D84	WATER	8/10/01	0300	X	>		×	X		×						
	<u> </u>			<u> </u>						<u> </u>	L		<u> </u>			
				 -]		<u> </u>	<u> </u>		<u> </u>		<u> </u>	
LHAIR OF POSSESS	308	CI _ M-1-	4 27	<u> </u>			<u> </u>	<u> </u>		<u> </u>	L_				<u>.l</u>	
Retinquished By Removed Prop	Date/Time 2745		red In D	Me/Time o			IAL INSTR 16 ERC acknow			s malytical hold	ling ti	ime for N	litrate by EPA	Method 300.0	will not be	Matrix * 5=5cil SD-Sollmen
Relinquished By/Removed From	Date/Time/	Received By/Sto	red in D	10/01 Martima		(1) IC	P Metals - 60	10A (TAI	L) (Ca	admium, Chron	nium,	Copper,	Nickel, Silve	r}; ICP Metals	- 6010A	SO-Gellé SI-Studge
REF Z C 81 Relinquished By/Remoped From	401 /000 Date/Time	SJGA			[1200		on) {Lead} : Anions - 300	.0 (Chlori	ride, Fl	luorido, Nitrate	, Nitr	ite, Phos	phate, Sulfate	:}		O=O# ₩ ~ ₩##
SICALE MALL		Received By/Sto	A4 10	eta/Time	Ì	Sam	iples did no lological coi	t origin	iste ir	n						A*Air DS*Drum \$olids
Relinquished By/Removed From	Date/Time	Received By/Sto	red in D	ate/Time		tota	l activity as	poclated								Di. Drum Liquide T-Timme
CHED EX	8-15-01 0940			501 C	940	## M	ple/samples	٠.		•						Wherepe E=Liquid
Relinquished By/Removed From	Date/Time	Received By/Sto	n bi ⊒n D	Mto/Titne												V=Vagetation X=Odox
Relinquished By/Removed From	Date/Time	Received By/Stor	red in D	etc/Time												Í
LABORATORY Received SECTION Received	l By	<u> </u>	<u> </u>	 -	Title										Date/Time	
FINAL SAMPLE Disposal DISPOSITION	Method						Dispo	ned By		<u> </u>					Date/Time	

7 BHI-EE-011 (10/99)

Lionville Laboratory, Inc. INORGANIC ANALYTICAL DATA PACKAGE FOR TNUHANFORD B01-059 H1458

DATE RECEIVED: 08/15/01 LVL LOT # :0108L570

CLIENT ID /ANALYSIS	LVL	#	MTX	PREP #	COLLECTION	EXTR/PREP	ANALYSIS
B12DB4							
CHLORIDE BY IC	001		W	01LICC55	08/10/01	08/22/01	08/22/01
CHLORIDE BY IC	001	REP	W	01LICC55	08/10/01	08/22/01	08/22/01
CHLORIDE BY IC	001	MS	W	01LICC55	08/10/01	08/22/01	08/22/01
FLUORIDE BY IC	001		W	01LICC55	08/10/01	08/22/01	08/22/01
FLUORIDE BY IC	001	REP	W	01LICC55	08/10/01	08/22/01	08/22/01
FLUORIDE BY IC	001	MS	W	01LICC55	08/10/01	08/22/01	08/22/01
NITRITE BY IC	001		W	01LICC55	08/10/01	08/22/01	08/22/01
NITRITE BY IC	001	REP	W	01LICC55	08/10/01	08/22/01	08/22/01
NITRITE BY IC	001	MS	W	01LICC55	08/10/01	08/22/01	08/22/01
NITRATE BY IC	001		W	01LICC55	08/10/01	08/22/01	08/22/01
NITRATE BY IC	001	REP	W	01LICC55	08/10/01	08/22/01	08/22/01
NITRATE BY IC	001	MS	W	01LICC55	08/10/01	08/22/01	08/22/01
PHOSPHATE BY IC	001		W	01LICC55	08/10/01	08/22/01	08/22/01
PHOSPHATE BY IC	001	REP	W	01LICC55	08/10/01	08/22/01	08/22/01
PHOSPHATE BY IC	001	MS	W	01LICC55	08/10/01	08/22/01	08/22/01
SULFATE BY IC	001		W	01LICC55	08/10/01	08/22/01	08/22/01
SULFATE BY IC	001	REP	W	01LICC55	08/10/01	08/22/01	08/22/01
SULFATE BY IC	001	MS	W	01LICC55	08/10/01	08/22/01	08/22/01
NITRATE NITRITE	001		W	01LN3A44	08/10/01	08/22/01	08/22/01
NITRATE NITRITE	001	REP	W	01LN3A44	08/10/01	08/22/01	08/22/01
NITRATE NITRITE	001	MS	W	01LN3A44	08/10/01	08/22/01	08/22/01
AMMONIA	001		W	01LAM040	08/10/01	08/24/01	08/24/01
AMMONIA	001	REP	W	01LAM040	08/10/01	08/24/01	08/24/01
AMMONIA	001		W	01LAM040	08/10/01	08/24/01	08/24/01
TOTAL ORGANIC CARBON	001		W	01LTCA43	08/10/01	09/04/01	09/04/01
TOTAL ORGANIC CARBON		REP	W	01LTCA43	08/10/01	09/04/01	09/04/01
TOTAL ORGANIC CARBON	001		W	01LTCA43	08/10/01	09/04/01	09/04/01
AB QC:					+		
CHLORIDE BY IC	MB1		W	01LICC55	N/A	08/22/01	08/22/01
CHLORIDE BY IC	MB1	BS	W	01LICC55	N/A	08/22/01	08/22/01
FLUORIDE BY IC	MB1		W	01LICC55	N/A	08/22/01	08/22/01
FLUORIDE BY IC	MB1	BS	W	01LICC55	N/A	08/22/01	08/22/01
NITRITE BY IC	MB1		W	01LICC55	N/A	08/22/01	08/22/01

Lionville Laboratory, Inc. INORGANIC ANALYTICAL DATA PACKAGE FOR TNUHANFORD B01-059 H1458

DATE RECEIVED: 08/15/01 LVL LOT # :0108L570

CLIENT ID /ANALYSIS	LVL #	MTX	PREP #	COLLECTION	EXTR/PREP	ANALYSIS
NITRITE BY IC	MB1 BS	 W	01LICC55	N/A	08/22/01	08/22/01
NITRATE BY IC	MB1	W	01LICC55	N/A	08/22/01	08/22/01
NITRATE BY IC	MB1 BS	W	01LICC55	N/A	08/22/01	08/22/01
PHOSPHATE BY IC	MB1	W	01LICC55	N/A	08/22/01	08/22/01
PHOSPHATE BY IC	MB1 BS	W	01LICC55	N/A	08/22/01	08/22/01
SULFATE BY IC	MB1	W	01LICC55	N/A	08/22/01	08/22/01
SULFATE BY IC	MB1 BS	W	01LICC55	N/A	08/22/01	08/22/01
NITRATE NITRITE	MB1	W	01LN3A44	N/A	08/22/01	08/22/01
NITRATE NITRITE	MB1 BS	W	01LN3A44	N/A	08/22/01	08/22/01
AMMONIA	MB1	W	01LAM040	N/A	08/24/01	08/24/01
AMMONIA	MB1 BS	W	01LAM040	N/A	08/24/01	08/24/01
AMMONIA	MB1 BSD	W	01LAM040	N/A	08/24/01	08/24/01
TOTAL ORGANIC CARBON	MB1	W	01LTCA43	N/A	09/04/01	09/04/01
TOTAL ORGANIC CARBON	MB1 BS	W	01LTCA43	N/A	09/04/01	09/04/01



Analytical Report

Client: TNU-HANFORD B01-059 H1458

W.O.#: 11343-606-001-9999-00 Date Received: 08-15-01

LVL#: 0108L570

INORGANIC NARRATIVE

1. This narrative covers the analyses of 1 water sample.

- 2. The sample was prepared and analyzed in accordance with the methods checked on the attached glossary.
- 3. Sample holding times as required by the method and/or contract were met with the exception of Nitrate, Nitrite and Phosphate that were received past hold.
- 4. The cooler temperature was recorded on the chain of custody.
- 5. The method blanks were within the method criteria.
- 6. The Laboratory Control Samples (LCS) were within the laboratory control limits. The duplicate LCS for Ammonia was within the 20% Relative Percent Difference (RPD) control limit.
- 7. The matrix spike recoveries were within the 75-125% control limits.
- 8. The replicate analyses were within the 20% RPD control limit.
- 9. I certify that this sample data package is in compliance with SOW requirements, both technically and for completeness, other than the conditions detailed above. Release of the data contained in this hard copy package has been authorized by the Laboratory Manager or a designee, as verified by the following signature.

Iain Daniels

Deputy Laboratory Manager

Lionville Laboratory Incorporated

09-13-01

Date

njp\i08-570

The results presented in this report relate to the analytical testing and conditions of the samples upon receipt and during storage. All pages of this report are integral parts of the analytical data. Therefore, this report should only be reproduced in its entirety of 13 pages.

Lionville Laboratory Incorporated

WET CHEMISTRY

METHODS GLOSSARY FOR WATER SAMPLE ANALYSIS

	EPA /600	<u>SW846</u>	OTHER
Acidity	305.1		
AlkalinityBicarbonateCarbonate	310.1		5010D (I)
BOD	405.1		5210B (b)
lon Chromatography:	√ _{300.0}	0054	
Bromide	300.0	_ 9056 9056	
Sulfate Formate Acetate Oxalate	300.0	_ 9056	
Chloride	325.2	_ 9050 9251	
Chorine, Residual	330.5 (mod)	_ 7231	
Cyanide, Amenable to Chlorination	335.2	9010B	
Cyanide, Total	335.2	9010B 9014	ILMO4.0 (e)
Cyanide, Weak Acid Dissociable			412 (a) 4500CN-I (1
COD	410.4(mod)		5220C (b)
Color	110.2		
Corrosivity by Coupon		1110(mod)	
Chromium VI		7196A	3500Cr-D (b)
Fluoride	340.2	-	4500-FC
Har dness , Calcium	215.2		
Hardness, Total	130.2		
lodide			ASTM D19P202 (1) ·
Surfactant	425.1		
✓ Nitrate-NitriteNitrateNitrite	353.2		
Ammonia	350.3		
TotalKjeldahl Organic Nitrogen	351.3	/	
Total Inorganic Carbon	415.1	9060	
Oil & Grease	413.1	_ 9070 _ 9040B	
pH pH; paperoleum Hydrocarbons, Total Recoverable	150.1 418.1	_ ^{9040B} _ ^{9041A}	
Phenol	420.1 420.2	9065 906	6
Ortho Total Phosphate	365.2	3003 300	4500-P B C
Salinity			$\frac{-210A (a)}{2520 (b)}$
Settleable Solids	160.5		
Sulfide	376.1	9030B/9034	(acid soluble)
Reactive CyanideSulfide			14 9030B)
Silica	370.1	_	-
Sulfite	377.1		
Sulfate	375.4	9038	
Specific Conductance	120.1	905 0A	
Specific Gravity		_	D5057-90 213E (a)
Synthetic Precipitation Leach	1312		
TotalDissolvedSuspendedSolids	16012	3	
Total Organic Halides	450.1	9020B	
Turbidity	180.1		
Volatile Solids:	120.4		
TotalDissolvedSuspended	160.4		
Other:	<u>M</u>	ethod:	

Lionville Laboratory Incorporated

METHOD REFERENCES AND DATA QUALIFIERS

DATA QUALIFIERS

- U = Indicates that the parameter was not detected at or above the reported limit. The associated numerical value is the sample detection limit.
- * = Indicates that the original sample result is greater than 4x the spike amount added.

ABBREVIATIONS

MB = Method or Preparation Blank.

MS = Matrix Spike.

MSD = Matrix Spike Duplicate.

REP = Sample Replicate

LC = Laboratory Control Sample.

NC = Not calculated.

A suffix of -R, -S, or -T following these codes indicate a replicate, spike or sample duplicate analysis respectively.

ANALYTICAL WET CHEMISTRY METHODS

- 1. ASTM Standard Methods.
- USEPA Methods for Chemical Analysis of Water and Wastes (USEPA 600/4-79-020).
- 3. <u>Test Methods for Evaluating Solid Waste</u> (USEPA SW-846).
- a. Standard Methods for the Examination of Water and Waste, 16 ed, (1983).
- b. Standard Methods for the Examination of Water and Waste, 17 ed, (1989)/18ed (1992).
- c. Method of Soil Analysis, Part 1, Physical and Mineralogical Methods, 2nd ed, (1986).
- d. Method of Soil Analysis, Part 2, Chemical and Microbiological Properties, Am. Soc. Agron., Madison, WI (1965).
- e. USEPA Contract Laboratory Program, Statement of Work for Inorganic Analysis.
- f. Code of Federal Regulations.

INORGANICS DATA SUMMARY REPORT 09/05/01

CLIENT: TNUHANFORD B01-059 H1458 LVL LOT #: 0108L570

					REPORTING	DILUTION
SAMPLE	SITE ID	ANALYTE	RESULT	UNITS	LIMIT	FACTOR
***	***************		*******			
-001	B12DB4	Chloride by IC	0.25 u	MG/L	0.25	1.0
		Fluoride by IC	0.50 u	MG/L	0.50	1.0
		Nitrite by IC	0.25 u	MG/L	0.25	1.0
		Nitrate by IC	0.40	MG/L	0.25	1.0
		Phosphate by IC	0.25 u	MG/L	0.25	1.0
		Sulfate by IC	0.26	MG/L	0.25	1.0
		Nitrate Nitrite	0.10	MG/L	0.020	1.0
		Ammonia, as N	0.10 u	MG/L	0.10	1.0
		Total Organic Carbon	0.50 u	MG/L	0.50	1.0

INORGANICS METHOD BLANK DATA SUMMARY PAGE 09/05/01

CLIENT: TNUHANFORD B01-059 H1458 LVL LOT #: 0108L570 WORK ORDER: 11343-606-001-9999-00

SAMPLE	SITE ID	ANALYTE	RESULT	UNITS	REPORTING LIMIT	DILUTION FACTOR
	有不完全的 医多种性 医多种性 医多种性 医多种性的 医皮肤炎 医皮肤炎 医皮肤炎 医皮肤皮肤皮肤皮肤皮肤皮肤皮肤皮肤皮肤皮肤皮肤皮肤皮肤皮肤皮肤皮肤皮肤皮肤皮肤					
BLANK10	01LICC55-MB1	Chloride by IC	0.25 น	MG/L	0.25	1.0
		Fluoride by IC	0.50 u	MG/L	0.50	1.0
		Nitrite by IC	0.25 u	MG/L	0.25	1.0
		Nitrate by IC	0.25 u	MG/L	0.25	1.0
		Phosphate by IC	0.25 u	MG/L	0.25	1.0
		Sulfate by IC	0.25 u	MG/L	0.25	1.0
BLANK10	01LN3A44-MB1	Nitrate Nitrite	0.020u	MG/L	0.020	1.0
BLANK10	01LAM040-MB1	Ammonia, as N	0.10 u	MG/L	0.10	1.0
BLANK10	01LTCA43-MB1	Total Organic Carbon	0.50 u	MG/L	0.50	1.0

INORGANICS ACCURACY REPORT 09/05/01

CLIENT: TNUHANFORD B01-059 H1458 LVL LOT #: 0108L570

WORK ORD	BR: 11343-606-001-9999	-00					
			SPIKED	INITIAL	SPIKED		DILUTION
SAMPLE	SITE ID	ANALYTE	SAMPLE	RESULT	AMOUNT	*RBCOV	FACTOR (SPK)
****		*****		*****		*****	
-001	B12DB4	Chloride by IC	5.1	0.16	5.0	98.2	1.0
		Fluoride by IC	10.7	0.00	10.0	107.2	1.0
		Nitrite by IC	4.96	0.25u	5.00	99.2	1.0
		Nitrate by IC	5.23	0.40	5.00	96.6	1.0
		Phosphate by IC	4.8	0.25u	5.0	96.B	1.0
		Sulfate by IC	5.0	0.26	5.0	95.7	1.0
		Nitrate Nitrite	0.58	0.10	0.50	95.6	1.0
		Ammonia, as N	2.0	0.10u	2.0	101.5	1.0
		Total Organic Carbon	5,9	0.44	5.0	110.2	1.0
BLANK10	01LICC55-MB1	Chloride by IC	4.6	0.25u	5.0	95.1	1.0
		Pluoride by IC	10.8	0.50u	10.0	107.6	1.0
		Nitrite by IC	4.83	0.25u	5.00	96.6	1.0
		Nitrate by IC	5.02	0.25u	5.00	100.5	1.0
		Phosphate by IC	5.1	0.25u	5.0	102.3	1.0
		Sulfate by IC	4.9	0.25u	5.0	97.5	1.0
BLANK10	01LN3A44-MB1	Nitrate Nitrite	0.50	0.02u	0.50	100.8	1.0
BLANK10	01LAM040-MB1	Ammonia, as N	2.0	0.10u	2.0	98.5	1.0
		Ammonia, as N MSD	2.0	0.10u	2.0	100	1.0
BLANK10	01LTCA43-MB1	Total Organic Carbon	5.2	0.50u	5.0	104.0	1.0

INORGANICS DUPLICATE SPIKE REPORT 09/05/01

CLIENT: TNUHANFORD B01-059 H1458 LVL LOT #: 0108L570

WORK ORDER: 11343-606-001-9999-00

SPIKB#1 SPIKB#2

SAMPLE	SITE ID	ANALYTE	*RECOV	*RECOV	*DIFF
222222	医医皮尔耳氏体切迹检查神经检查医检查学				
BLANK10	01LAM040-MB1	Ammonía, as N	98.5	100	1.5

INORGANICS PRECISION REPORT 09/05/01

CLIENT: TNUHANFORD B01-059 H1458 LVL LOT #: 0108L570

			INITIAL			DILUTION
SAMPLE	SITE ID	ANALYTE	RESULT	REPLICATE	RPD	FACTOR (RBP)
F=====	*****		****		*****	*******
-001REP	B12D84	Chloride by IC	0.25u	0.25u	NC	1.0
		Fluoride by IC	0.50u	0.50u	NC	1.0
		Nitrite by IC	0.25u	0.25u	NC	1.0
		Nitrate by IC	0.40	0.40	0.25	1.0
		Phosphate by IC	0.25u	0.25u	NC	1.0
		Sulfate by IC	0.26	0,25u	NC	1.0
		Nitrate Nitrite	0.10	0.099	1.0	1.0
		Ammonia, as N	0.10u	0.10u	NC	1.0
		Total Organic Carbon	0.50u	0.504	NC	1.0

	L57	antord	BOLO				Refriger			A-C							F		G	H		SVOIDO	17438 5458	7176
st. Final Pro	j. Samp	ling Date					#/Type	Container	Liquid	399	200						1Pa		_	leg		A _N		alario
roject #	134	3- COX	-001-	7999·c	<u> </u>				Solid				3.3		3 -	48.4		ġ÷,	# 6					
roject Conta								1	Liquid	40	16	1. <u>1</u>				<u> </u>	200		<u> 500</u>	500	<u> ((72)</u>			<u> </u>
lonville Labo	ratory	Project Mana	ger <u> </u>	エ ュ	<u>d</u> .		Preserv	atives		HZC4	_						HNo3			Hisoy				**************************************
c	=		TAT	، مد	30 day					HZG	ORG/	NIC					INC	PIG	Ý	35 /				
ate Rec'd	8.15	5.01	Date Due _	9-14	101		REQUE		-	VQ V	BNA	Pest/ PCB	Herb				17.E Each	8	J K	E SOL			الما	
ATRIX	Γ		······································										1		Lionv	lle La	borate	ory Us		/	I			
ODES: Soil Sediment O Solid	Lab ID	,	Client ID/Descri	ption	G	OC thosen (V)	Matrix	Date Collected	Time Collected	CLOSHI	X255V						Mcto		TCO	INHON				
L - Sludge / - Water	~~	210	LDB4		×			8/10/0I	0300								X		×	X			23.74	THE S
- Qil - Air	COL	1)10	CUUT		- -	+~	Ι ω	Aliotol	OSU	4						 	 ^^					3	1	30
5 - Drum Solids		<u> </u>			-		 	1 1 1 1 1 1	 				-									7.7	7.5	
L - Drum Liquids	<u> </u>	<u> </u>	<u> </u>			-																	1 2 2 2	E.Z.
 EP/TCLP Leachate 	一		<u> </u>			1	f					 										1	35.0 24.0	
1 - Wipe - Other	_	<u> </u>				_	 														14 . 17 .		6.5	g.2/3
- Fish	<u> </u>																						2.3	1. 1
			<u> </u>																-					10 m
	1																		<u> </u>		ينتنا		ينسب	
														<u> </u>	<u> </u>			1	<u> </u>			<u></u>		
pecial instruc	tions: (308 12	20-lac	9		W	CO	ns: 1.Cd,C 2.TCCL						TC P	th I		H	iamples) Shipp land De	were; ed — fivered	_ or	Ta 1) Pa	y Use C imper Re:) Preser ackage) Unbroi	sistant Se nt on O	uter N
			*					 4 5 									_ 2 _ 3 C	(A 35) Amble () Recei Condition () Samp	ont or (ved in n⊘n	Good	70 p; 3) 4)	ackage() Preser / / / / / / / / / / / / /	or or Si or or or ken or	N ample or N
Relinquishe by	d (Received by	Date	Time		quished by		Received by		Dete RIG	Tie		Sam		abels s		4) Samples Sample Properly Preserved COC Rec Or N Upon Sam 5) Received Within Cooler Holding Times Cooler Temp.		cord Ph imple R	esent ec't or N				

Bechtel Hanford Inc. CHAIN OF CI					N OF CUSTOD 1/SAMIT LE ANALTSIS REQUEST							Page 1	of 1			
Collector Thomas, G/Watson, D).	Compa Tode	ny Contact i, M.	Telepho (509):	ne No. 372-9631						Data Turnaround					
Project Designation Sampling Location 200-TW-1 & 2 - QC Sampling T-26/200 W				SAF No. B01-059						Air Quality 45				Days		
Ice Chest No. 5M	L-286	Fleid I	oghook No. 1518 — ¶	COA B20TW					Method of Shipment Fed Ex							
SHANT TON TIBIOL RECEA				103	22				Bal	of Lading/A	Jr Bil	l No.	423	5795	4644	0
POSSIBLE SAMPLE	HAZARDS/REMARKS]					1				T		
	Preservation	HN03 to pH <2	<u> </u>	40	H2SO4 to pH HCl or H2 <2 Cool 4C to pH <2		Coo	Cool 4C	7	to pH	<u> </u>					
Special Handling and/or Storage			Type of Container	•G	.G		_	aGs*		∎G ,	\Box	G ——				
No. of Container(s)			500mL	500ml	L 500		3 40ml		2 1000mL	\Box	2 OmL		 	ļ		
			Volume								١		<u></u>	<u> </u>	<u></u>	
SAMPLE ANALYSIS				See item (1) is Special Instructions	Specia	1 350 ons. 1902/ 353.1;	3; 103	OA - 87		Semi-VOA 8270A (Add- On) (Tributyl phosphate)		Alpha; as Beta				
Sample No.	Matrix *	Sample Date	ample Date Sample Time									<u> </u>				
B12DB4	WATER	8/10/01	3/10/01 0300		X	x x		X		X						
				 -	┼					 	-		}	<u> </u>	 	
					 	_				 -	\vdash		<u> </u>	 	 	
CHAIN OF POS		Sign/Prin				PECIAL)				والمعارض المستعدد	1' at	c xi	Sina La WOA	14-4 - 1 200 O .	-91 - 41	Matrix *
Relinquished by Removed		Received By/Stor		Me/Time O	70	net.	SCKIJOMIĆ O	uges u	nan Arc	е япануческі пом	mg rin	HE LOT IA	idate by BPA	Method 300.0 s	will not be	S=Soil SB=Sediment
Relinquished By/Removed		Received By/Sto	red in D	10/01 Me/Time		1) ICP Met	ls - 6010A	(TAI	L) {C	admium, Chron	nium. (Copper.	Nickel Silver	}; ICP Metals -	6010A	SO-delid S)-Biologe
REF ZC	81401 1000	SIGA		81401	/ /mm (Add-on) (L	ad}		-	luoride, Nitrate				-		W = Water O=Oil
Relinquished By/Removed	From Date/Time	Received By/Sto		ste/Time		Samples:					, mun	o, riiusi	AMIE, SULAIE			A=Air DS=Drem Solids
51 CALE VAO		1 teo	EX			radiologi										Direction Liquids Territore
		Received By/Sto	(60.11)	ate/Time	j	total activates			n wit							WywWipe L-Eighir
Relinquished By/Removed From Date/Time Received By/Store			D. Smar 8.1501 0940 ed By/Stored.ht Date/Time				•••	••	•							V-Vegetation X-Other
Relinquished By/Removed From Date/Time Received By/Stored In I			ate/Time													
LABORATORY R SECTION	eccived By			7	litic .										Date/Time	<u> </u>
FINAL SAMPLE D	Disposal Method				<u> </u>	 _	Disposed	d By							Date/Time	
DISPOSITION																i

Figure 1. Sample Check-in List

Date/Time Received: 8.15.01	
SDG#: 0108L570	
Work Order Number:	SAF#_B01-059
Shipping Container ID: 5mL386	Chain of Custody #
1. Custody Seals on shipping container intact?	Yes [4] No []
2. Custody Seals dated and signed?	Yes [] No []
3. Chain-of-Custody record present?	Yes [4] No []
4. Cooler temperature 2.0'c	
5. Vermiculite/packing materials is	Wet [] Dry [1]
6. Number of samples in shipping container:	<u> </u>
7. Sample holding times exceeded? no2,n	03, POH Yes 17 No 17 1 8-15-1
	azard labels opropriate sample labels
broken}	eaking nave air bubbles
10. Were any anomalies identified in sample rece	ipt? Yes [] No [4]

Page 29 of 31